



SMA CONNECTORS



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

2037 5007 00,SMA RA CABLE PLUG

SAM , SMA

1052071-1

TE Internal Number: 1052071-1

Always EU RoHS/ELV Compliant

Applies To **Coaxial Cable**

Panel Mount **Without**

Body Material **Stainless Steel**

Body Plating Material **Gold**

50 Ohm **Yes**

Product Drawings

OSM RIGHT ANGLE CABLE PLUG-CRIMP ATTACHMENT

PDF (TIFF AVAILABLE)
English

OSM RIGHT ANGLE CABLE PLUG-CRIMP ATTACHMENT

PDF (TIFF AVAILABLE)
English

CAD Files

3D PDF

PDF
3D

Customer View Model

2D_DXF.ZIP
English

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

Instruction Sheets

Instruction Sheet (U.S.)

SMA Right-Angle Cable Plugs (Crimp Attachment) 1052071-1 And 1052072-1

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Applies To

Coaxial Cable

RF Connector Type


SMA

Connector Style

Plug

	Cable Type	RG 142, RG 223, RG 400, RG 55
	Product Type	Connector - RF
	Shrink Tubing	With
	Dielectric Material	TFE Fluorocarbon
	Retractable Collar	Without
Configuration Features	Snap-Lock	Without
Electrical Characteristics	50 Ohm	Yes
	75 Ohm	No
	Impedance (Ω)	50
Body Features	Body Material	Stainless Steel
	Body Plating Material	Gold
	Body Style	Right Angle
	Gasket Material	Silicone Rubber
	Ferrule Material	Copper Alloy
	Ferrule Plating Material	Gold over Copper
Contact Features	Captivation Method	Mechanical
	Center Contact Plating Material	Gold over Nickel
	Center Contact	With
	Center Contact Material	Beryllium Copper
	Captivated Contacts	With
Termination Features	Cable Termination Type	Crimp
Mechanical Attachment	Panel Mount	Without
	Safety Wire Holes	Without
	Coupling Nut Material	Stainless Steel
	Coupling Nut Plating Material	Gold over Nickel
Dimensions	Length	16.9 mm [.665 in]
Packaging Features	Packaging Method	Carton

CUSTOMERS ALSO BOUGHT

CRIMP RINGS & SPADES	RECTANGULAR BOOTS & STRAIN RELIEF	IN-SERIES ADAPTERS	CIRCUIT BREAKERS
			
<p>TERMINAL, PIDG R 12-10 3/8 35478</p>	<p>08P UMNL STR/REL HSG 643314-2</p>	<p>2082 5133 00 1054425-1</p>	<p>W67-X2Q12- 10=M6/M7/M9/W6/W7 W67-X2Q12-10</p>
<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>