



1057159-1 Product Details

Share | Print | Email



1057159-1

TE Internal Number: 1057159-1
Active

N Series RF Connectors

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Connector - RF
- Jack
- Coaxial Cable Termination Type = Solder
- Applies To Cable
- Coaxial Cable Type (RG/U or Mfg.) = 402 Semi-Rigid/3.58 [.141]

[View all Features](#)

Quick Links

- ▶ Pricing & Availability
- ▶ Search for Tooling
- ▶ Product Feature Selector
- ▶ Contact Us About This Product

[Add to My Part List](#) | [Request Sample](#) | [Find Similar Products](#) | [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [BULKHEAD FEEDTHROUGH CABLE JACK ASSY N SERIES, DIREC...](#) (PDF, English)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- [Type N Bulkhead Feedthrough Cable Jack Connectors](#) (PDF, English)

CAD Files:

- None Available

Related Products:

- Tooling

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Connector - RF
- Gender = Jack
- Wire/Cable Type = Coaxial Cable
- Grade = Commercial
- Lightning/EMP Protection = None
- Dielectric Material = TFE Fluorocarbon
- Weatherproof = No

Mechanical Attachment:

- Panel Mount Retention = With
- Panel Mount Retention Type = Bulkhead
- Panel Attachment Style = Rear Mount

Electrical Characteristics:

- Frequency = DC - 11 GHz
- Connector Impedance (Ω) = 50
- Insulation Resistance (M Ω) = 5,000

Termination Features:

- Coaxial Cable Termination Type = Solder

Dimensions:

- Panel Thickness (mm [in]) = 6.35 [0.250]

Body Features:

- Body Style = Straight
- Body Plating = Gold
- Body Material = Brass
- Gasket Material = Silicone Rubber
- Lockwasher Material = Stainless Steel
- Lockwasher Plating = Passivated

Contact Features:

- Captured Center Contact = Without
- Center Contact Plating = Gold
- Center Contact Material = Beryllium Copper

Configuration Features:

- Coaxial Cable Type (RG/U or Mfg.) = 402 Semi-Rigid/3.58 [.141]

Industry Standards:

- Government/Industry Qualification = No
- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- Applies To = Cable

Other:

- Brand = AMP

Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)

Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

Keep Me Informed

