




1-1337479-0 Product Details

[Share](#) | [Print](#) | [Email](#)


SMB RF Connectors

SMB RM BHSkt 50Ohm Gold Pltd

1-1337479-0

TE Internal Number: 1-1337479-0

Active

Product Highlights [View All](#)

- Connector - RF
- Jack
- Standard
- Coupler Style = Snap-On
- Body Style = Straight

- [Pricing & Availability](#)
- [Request Sample](#)
- [Add to My Part List](#)
- [Buy Product through Distributor](#)

[Feedback](#)

[Documents](#) | [Features](#) | [Compliance](#)

Please Note:
Use the Product Drawing for all design activity

Product Type Features	
Product Type	Connector - RF
Gender	Jack
Connector Series	Standard
Grade	Professional
Dielectric Material	PTFE
Sealed	No
Isolated	No
Flats Dimension	6.0 A/F

Mechanical Attachment	
Panel Mount Retention	With
Panel Attachment Style	Rear Mount
Panel Mount Retention Type	Hex Nut, Bulkhead
Panel Cutout	4.9 x 4.5 D-Shape
Flange Dimension [A/F] (mm [in])	6.35 [0.25]

Electrical Characteristics	
Connector Impedance (Ω)	50

Dimensions	
Overall Length (mm [in])	15.40 [0.606]
Panel Thickness (mm [in])	2.40 [0.094]

Body Features	
Coupler Style	Snap-On
Body Style	Straight
Pin Protection	Without
Body Plating	Gold
Body Material	Brass
Polarized	No
Body Shape	Hexagonal
Lockwasher Material	Brass
Lockwasher Plating	Gold

Contact Features	
Center Contact Plating	Gold
Center Contact Material	Brass

Configuration Features	
Preloaded	Yes
Solder Lug	With
Environmental Protection	Without

Industry Standards	
RoHS/ELV Compliance	RoHS compliant, ELV compliant
Lead Free Solder Processes	Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
RoHS/ELV Compliance History	Converted to comply with RoHS directive
Military Style Number	UG-1455/U

Environmental	
Operating Temperature (Max.) (°C)	165

Packaging Features	
Packaging Quantity	100
Packaging Method	Individual

Other	
Brand	Greenpar

Related Products

Not quite the product you're looking for?
[Find Similar Products](#)

[View Part in Product Feature Selector](#)

[Check for Tooling](#)

