


1-1355730-1 Product Details

Have a Question?

Chat with a Product Information Specialist



1-1355730-1

TE Internal Number: 1-1355730-1

Active

View 3D PDF

Micro-Power & Power Quadlok System

Always EU RoHS/ELV Compliant ([Statement of Compliance](#))

Product Highlights:

- Connector
- Contact Type = Pin
- Connector Style = Header - Pin
- 3 Positions
- 3 MQS Contacts

[View all Features](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- None Available

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files: ([CAD Format & Compression Information](#))

- [2D Drawing](#) (DXF, Version D2)
- [3D Model](#) (IGES, Version D2)
- [3D Model](#) (STEP, Version D2)

[List all Documents](#)

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Connector
- Sealed = No
- Mount Angle = Right Angle
- Post Type = Solder Tail
- Keyed = Yes
- Comment = Other options available upon request, consult our Product Information Center.

Termination Related Features:

- Pin Diameter (mm [in]) = 0.64 [0.025]

Body Related Features:

- [Number of Positions](#) = 3
- [Centerline, Matrix \(mm \[in\]\)](#) = 2.54 [.100]
- Staggered Centerline = Without
- Mates With = X-968705-X
- Key ID = A

Contact Related Features:

- Contact Type = Pin
- Number of MQS Contacts = 3
- [Contact Finish](#) = Pre Tin
- Contact Shape = Square
- Contact Configuration = Mod II
- Contact Base Material = CuSn

Housing Related Features:

- Connector Style = Header - Pin
- Header Color = Black
- Housing Material = PBT - GF

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Packaging Related Features:

- [Packaging Method](#) = Loose Piece

Other:

- GET 0.64 Connector System = No
- Brand = AMP

BOOKMARK

Corporate Information

[Who We Are](#)
[Investors](#)
[News Room](#)
[Supplier Portal](#)
[Careers](#)

Quick Links

[Check Distributor Inventory](#)
[Cross Reference](#)
[Find Documents & Drawings](#)
[Product Compliance Support Center](#)
[Site Map](#)

Customer Support

[Email or Chat with Us](#)
[Find a Phone Number](#)
[Search Knowledge Base](#)
[Manage Your Account](#)

Sign up for our eNewsletter

Enter your email address

Follow Us On:



Visit Us On:

