

Product Details for 1 -1634003 -0



1 -1634003 -0

[Active](#)

MMCX RF Connectors

[RoHS Compliant](#) [\(Statement of Compliance\)](#)

Product Highlights:

- ? Plug
- ? Terminate To Coaxial Cable
- ? Coaxial Cable Type = Raychem 5030A1424, Raychem 5030F1314, Raychem CLFH -178, RG 178 B/U, RG 196 A/U, URM110
- ? Body Style = Elbow

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling Product Feature Selector](#)
- [Contact Us About This Product](#)

Documentation & Additional Information

Product Drawings:

- ? [MMCX ELBOW PLUG CRIMP RG178 50 OHMS](#) (PDF, English)

Catalog Pages/Data Sheets:

- ? None Available

Product Specifications:

- ? None Available

Application Specifications:

- ? None Available

Instruction Sheets:

- ? None Available

CAD Files:

- ? None Available

Additional Information:

- ? [Product Line Information](#)

Related Products:

- ? [Tooling](#)

[List all Documents](#)

Product Features

(Please use the Product Drawing for all design activity)

Product Type Features:

- ? Product Type = Plug
- ? Body Style = Elbow
- ? Crimp Type = Hex
- ? Grade = Professional
- ? Body Material = Brass
- ? Dielectric Material = PTFE

Electrical Characteristics:

- ? Connector Impedance (?) = 50

Termination Related Features:

- ? Coaxial Cable Termination Type = Solder/Crimp

Body Related Features:

- ? Body Plating = Gold
- ? Hexcrimp Dimension = 0.65 Sq + 2.8 + 3.4
- ? Ferrule Type = Hex
- ? Interchangeable Die Set Number = 9 -1478248 -0
- ? Hand Tool = 9 -1478240 -0

Contact Related Features:

- ? Center Contact Material = Brass
- ? Center Contact Plating = Gold

Configuration Related Features:

- ? Coaxial Cable Type = Raychem 5030A1424, Raychem 5030F1314, Raychem CLFH -178, RG 178 B/U, RG 196 A/U, URM110

Industry Standards:

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Not relevant for lead free process
- ? RoHS/ELV Compliance History = Converted to comply with RoHS directive

Conditions for Usage:

- ? Terminate To = Coaxial Cable
- ? Operating Temperature (Max.) (°C) = 165

Packaging Related Features:

- ? Packaging Method = Individual
- ? Packaging Quantity = 50

Other:

- ? Brand = Greenpar