


1218404-1 Product Details

[Live Product Chat](#)



1218404-1

TE Internal Number: 1218404-1

[Active](#)

ARINC 404 Connectors

[Not EU RoHS or ELV Compliant](#)

Product Highlights:

- Not Sealed
- Shell Size = 2 Inserts
- Shell Configuration = Receptacle
- Contact Arrangement (Module A) = 32C4
- Contact Arrangement (Module B) = 106

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information	
<p>Product Drawings:</p> <ul style="list-style-type: none"> • None Available <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> • None Available <p>Product Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Application Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Instruction Sheets:</p> <ul style="list-style-type: none"> • None Available <p>CAD Files:</p> <ul style="list-style-type: none"> • None Available 	<p>Additional Information:</p> <ul style="list-style-type: none"> • Product Line Information <p>Related Products:</p> <ul style="list-style-type: none"> • Tooling

Product Features (Please use the Product Drawing for all design activity)	
<p>Product Type Features:</p> <ul style="list-style-type: none"> • Sealed = No • Shell Size = 2 Inserts • Shell Finish = Cadmium plated per QQ-P-416 with yellow chromate conversion. • Comment = Contacts sold separately. <p>Mechanical Attachment:</p> <ul style="list-style-type: none"> • Keying = 01 <p>Electrical Characteristics:</p> <ul style="list-style-type: none"> • Shell Configuration = Receptacle • Signal Contacts = Without • Shell Mounting Modification = 01 • Custom Order Code = 201 	<p>Contact Related Features:</p> <ul style="list-style-type: none"> • Contact Type (Module A) = Pin • Contact Type (Module B) = Socket <p>Configuration Related Features:</p> <ul style="list-style-type: none"> • Contact Arrangement (Module A) = 32C4 • Contact Arrangement (Module B) = 106 <p>Industry Standards:</p> <ul style="list-style-type: none"> • Government/Industry Qualification = No • RoHS/ELV Compliance = Not ELV/RoHS compliant • Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C <p>Other:</p> <ul style="list-style-type: none"> • Brand = AMP

Corporate Information

- [Who We Are](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)

Quick Links

- [Check Distributor Inventory](#)
- [Cross Reference](#)
- [Find Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat with Us](#)
- [Find a Phone Number](#)
- [Search Knowledge Base](#)
- [Manage Your Account](#)