




1241050-3 Product Details

[Share](#) | [Print](#) | [Email](#)


1241050-3

.100 inch AMPMODU Headers

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Connector
- Header Type = Breakaway
- 6 Positions
- Mating Post Length = 5.80 mm
- 2.54 mm Centerline

[View all Features](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

TE Internal Number: 1241050-3

Active

[View 3D PDF](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [AMPMODU II PIN HEADER PACKED IN BLISTER AMPMODU II S... \(PDF, English\)](#)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files: (CAD Format & Compression Information)

- [2D Drawing \(DXF, Version A7\)](#)
- [3D Model \(IGES, Version A7\)](#)
- [3D Model \(STEP, Version A7\)](#)

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Connector
- Mount Angle = Vertical
- PCB Mount Retention = Without
- Surface Mount Compatible = Yes
- Board Standoff = Without
- Mating Connector Lock = Without
- Breakaway Header = Yes
- PCB Mounting Orientation = Vertical
- Post Size (mm [in]) = 0.64 [.025]

Mechanical Attachment:

- Mounting Ears = Without
- Panel Mount Retention = Without

Termination Features:

- Solder Tail Contact Plating = Tin over Nickel

Dimensions:

- Mating Post Length (mm [in]) = 5.80 [0.228]

Body Features:

- Header Type = Breakaway
- Number of Positions = 6
- Row-to-Row Spacing (mm [in]) = 2.54 [0.100]
- Number of Rows = 2
- Selectively Loaded = No
- Mount Type = Printed Circuit Board

Contact Features:

- Contact Plating, Mating Area, Material = Gold (30)
- Contact Shape = Square
- Contact Base Material = Phosphor Bronze

Housing Features:

- Centerline (mm [in]) = 2.54 [0.100]
- Housing Material = PCT - GF

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Reflow solder capable to 245°C, Reflow solder capable to 260°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- High Temperature Housing = No

Operation/Application:

- High Speed Serial Data Connector = No

Packaging Features:

- Packaging Method = Blister Pack

Other:

- Brand = AMP

