

CRIMP RINGS & SPADES



✓ Active

PRODUCT DRAWING Ŧ English 🛃 3D PDF

TE CONNECTIVITY (TE) SOLIS DIN 4.0-6.0 R M4 SOLISTRAND | SOLISTRAND

165301 TE Internal Number: 165301 Alias ID: A29701-000, AMPS-0-0165301-0

Always EU RoHS/ELV Compliant

Terminal Shape Ring Tongue

Stud Diameter 4.3 mm [.169 in]

Sealed No

Heavy Duty No

Wire Size (AWG) 12 - 10

Product Drawings

PDF **English**

RING TONGUE SOLISTRAND WIRE SIZE: 4-6mm

CAD Files

Customer View Model 3D_IGS.ZIP English

Customer View Model 3D_STP.ZIP English

Customer View Model 2D_DXF.ZIP English

3D PDF PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Sealed	No
	Barrel Type	Closed Barrel
	Wire/Cable Type	Regular Wire
	Insulated	No
	Insulated Wire Support	No
	Stud Size	M4
	Shape Code	RING-101
	Barrel Style	Standard

y b f **v**

Configuration Features	Number of Holes	1
Body Features	Plating Material Plating Thickness (µin)	Copper, Tin 120
Contact Features	Terminal Shape Terminal Orientation	Ring Tongue Straight
Dimensions	Stud Diameter Wire Size (AWG) Wire Size (mm²) Wire Size (CMA) Material Thickness Overall Length Barrel Inside Diameter (Min)	4.3 mm [.169 in] 12 – 10 4 – 6 10383.311 – 16511.77 1 mm [.0393 in] 18.237 mm [.718 in] 3.607 mm [.142 in]
Operation/Application	Heavy Duty	No
Industry Standards	Government Qualified	Νο
Packaging Features	Packaging Method Packaging Quantity	Box 1000
Product Compliance	Statement of Compliance PDF	

VIEW ALL PRODUCT COMPLIANCE

CUSTOMERS ALSO BOUGHT

STANDARD RECTANGULAR CONNECTORS	THROUGH-HOLE RESISTORS	SURFACE MOUNT RESISTORS	AUTOMOTIVE, TRUCK, BUS, & OFF-ROAD TERMINALS
CILITATION O		N 1 200	
MMATE PIN HDR ASSY, 10P LF 207398-7	CFR50 5% 560K CFR50J560K	CRG0402 1% 10R CRG0402F10R	MIC RECEPTACLE 142183-1
	E Save to List	Save to List	

ξΞ	Save to List
0	Find Similar Products
•	

h