


## 167021 -2 Product Details

**Live Product Chat** US Only  
8:30am - 5pm ET, Mon - Fri



### .100 AMPMODU Headers, Housings & Contacts

[Always EU RoHS/ELV Compliant](#) ( [Statement of Compliance](#) )

#### Product Highlights:

- ? Contact
- ? Contact Type = Receptacle
- ? Terminate To Wire
- ? Wire Insulation Diameter = 1.20 mm
- ? Wire Range = 0.03 - 0.09<sup>2</sup> [32 - 28] mm [AWG]

[View all Features](#) | [Find Similar Products](#)

#### Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

**167021 -2**

TE Part Number: 167021 -2

[Active](#)

[Add to Part List](#)

### Documentation & Additional Information

#### Product Drawings:

- ? [ampmodu mod. 4 receptacle s.c.p. strip](#) (PDF, English)

#### Catalog Pages/Data Sheets:

- ? None Available

#### Product Specifications:

- ? None Available

#### Application Specifications:

- ? None Available

#### Instruction Sheets:

- ? None Available

#### CAD Files:

- ? None Available

#### Additional Information:

- ? [Product Line Information](#)

#### Related Products:

- ? [Tooling](#)

[List all Documents](#)

### Product Features (Please use the Product Drawing for all design activity)

#### Product Type Features:

- ? Product Type = Contact
- ? Wire Insulation Diameter (mm [in]) = 1.20 [0.047]
- ? [Connector Series](#) = Mod IV
- ? Wire Termination Type = Crimp
- ? With Insulation Support = Yes
- ? Applied Pressure = Intermediate
- ? Comment = For 0.63 mm "Round" Post and 0.63 x 0.63 mm "Square" Post.

#### Termination Related Features:

- ? Crimp Area Plating = Gold Flash

#### Body Related Features:

- ? [Wire Range \(mm \[AWG\]\)](#) = 0.03 - 0.09<sup>2</sup> [32 - 28]

#### Contact Related Features:

- ? Contact Type = Receptacle
- ? [Contact Mating Area Plating Material](#) = Gold (30)
- ? Contact Material = Phosphor Bronze

#### Industry Standards:

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

#### Conditions for Usage:

- ? [Terminate To](#) = Wire

#### Packaging Related Features:

- ? Packaging Method = Reel
- ? Packaging Quantity = 17,500

#### Other:

- ? Brand = AMP