


## 174817-2 Product Details

Share | Print | Email



174817-2

TE Internal Number: 174817-2

Active

View 3D PDF

### Positive Lock Connectors

Always EU RoHS/ELV Compliant (Statement of Compliance)

#### Product Highlights:

- Accessory
- Accessory Type = Insulation Sleeve
- Mating Area Interface Dimensions = 4.75 mm
- Line = AMP POSITIVE LOCK EX Series
- Receptacle Style = Straight

[View all Features](#)

#### Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [View Contacts \(7\)](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#) | Request Sample | Find Similar Products | Buy Product

Documentation & Additional Information	
<p><b>Product Drawings:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">insulation sleeve for 250 ser pos lock-ex</a> (PDF, English)</li> </ul> <p><b>Catalog Pages/Data Sheets:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Product Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Application Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Instruction Sheets:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">POSITIVE LOCK EX CONTACT</a> (PDF, English)</li> </ul> <p><b>CAD Files:</b> (<a href="#">CAD Format &amp; Compression Information</a>)</p> <ul style="list-style-type: none"> <li>• <a href="#">2D Drawing</a> (DXF, Version E)</li> <li>• <a href="#">3D Model</a> (IGES, Version E)</li> <li>• <a href="#">3D Model</a> (STEP, Version E)</li> </ul>	<p><b>Additional Information:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Product Line Information</a></li> </ul> <p><b>Related Products:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Tooling</a></li> <li>• <a href="#">Contacts (7)</a></li> </ul>

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)	
<p><b>Product Type Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Product Type</a> = Accessory</li> <li>• <a href="#">Accessory Type</a> = Insulation Sleeve</li> <li>• <a href="#">Mating Area Interface Dimensions (mm [in])</a> = 4.75 [.187]</li> <li>• <a href="#">Receptacle Style</a> = Straight</li> <li>• <a href="#">Color</a> = Yellow</li> <li>• <a href="#">Insulation Diameter (mm [in])</a> = 1.50-3.02 [.059-.119], 2.20-3.40 [.086-.134], 3.00-5.10 [.118-.200]</li> <li>• <a href="#">Material</a> = Soft PVC</li> <li>• <a href="#">Keved</a> = No</li> </ul> <p><b>Body Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Number of Positions</a> = 1</li> <li>• <a href="#">Position Keved</a> = None</li> </ul>	<p><b>Housing Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">UL Flammability Rating</a> = UL 94V-0</li> </ul> <p><b>Industry Standards:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">RoHS/ELV Compliance</a> = RoHS compliant, ELV compliant</li> <li>• <a href="#">Lead Free Solder Processes</a> = Not relevant for lead free process</li> <li>• <a href="#">RoHS/ELV Compliance History</a> = Always was RoHS compliant</li> </ul> <p><b>Other:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Line</a> = AMP POSITIVE LOCK EX Series</li> <li>• <a href="#">Brand</a> = AMP</li> </ul>

#### Corporate Information

- [Who We Are](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)

#### Quick Links

- [Check Distributor Inventory](#)
- [Cross Reference](#)
- [Find Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

#### Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Search Knowledge Base](#)
- [Manage your Account](#)

#### Keep Me Informed

Receive TE News, Events & Technology Updates

Enter your email address

