






What can we help you find?




📕 Email

**Industries** About TE Products Resources Support Center My Account

<u>Home > Products > Two-Piece, High-Speed Connectors > Product Feature Selector > Product Details</u>

## 2132737-1 Product Details



2132737-1

TE Internal Number: 2132737-1

<u>Active</u>

## Impact High Density Backplane Connectors

Always EU RoHS/ELV Compliant (Statement of Compliance)

#### Product Highlights:

- IMPACT Product Line
- Board-to-Board
- Applies To Printed Circuit Board
- Board-to-Board Configuration = Right Angle
- Connector

View all Features



## Documentation & Additional Information

#### Product Drawings:

IMPACT, 4 PAIR, DAUGHTERCARD 6 COLUMN, LEFT GUIDED, ... (PDF, English)

#### Catalog Pages/Data Sheets:

None Available

#### Product Specifications:

None Available

#### Application Specifications:

None Available

#### Instruction Sheets:

None Available

#### CAD Files:

None Available

#### Product Features (Please use the Product Drawing for all design activity)

#### Product Type Features:

- Product Line = IMPACT
- Product Type = Connector
- Connector Type = Connector Assembly
- PCB Mount Retention = With
- Termination Method to PC Board = Through Hole Press Fit
- PCB Mounting Orientation = Right Angle PCB Hole Diameter (mm [in]) = 0.39 [0.015]
- PCB Mount Alignment Type = Locating Posts Make First / Break Last = No
- Industry Application = Networking (Communications)
- UL File Number = E28476

## **Electrical Characteristics:**

- Impedance (Ω) = 100
- Contact Rated Current (A) = 0.75
- Hot Pluggable = No
- Operating Voltage Reference = AC/DC
- Operating Voltage (VAC) = 120
- Operating Voltage (VDC) = 120

## Termination Features:

- Tail Length (mm [in]) = 1.2 [0.047]
- Tail Orientation = In-line

## Dimensions:

Profile Height (Y-Axis) (mm [in]) = 17.30 [0.681]

## **Body Features:**

- Number of Positions = 90
- Number of Rows = 15
- Number of Columns = 6
- Number of Differential Pairs Per Column = 5
- PCB Mount Retention Type = Compliant Pin/Screw Centerline (mm [in]) = 1.90 [0.075]
- Mating Retention = Without
- Underplate Material Thickness (μm [μin]) = 1.27 [50.000]
- Length (X-Axis) (mm [in]) = 19.00 [0.748] Width (Z-Axis) (mm [in]) = 28.20 [1.110]

## Contact Features:

- Contact Design = Dual Beam Contact Type = Socket
- Contact Base Material = Copper-Nickel-Silicon
- Contact Plating, Mating Area, Material = Gold
- Contact Plating, Mating Area, Thickness (μm [μin]) = 0.762 [30]
- Tail Plating Material = Matte Tin
- Tail Plating, Thickness (µm [µin]) = 1.27 [50] Underplate Material = Nickel

Quick Links

🗓 Share

Check Pricing & Availability

🗎 Print

- Search for Tooling
- Product Feature Selector Contact Us About This Product

#### Related Products:

Tooling

#### <u>List all Documents</u>

- Housing Features: Connector Style = Receptacle
  - Housing Color = Black
  - Mating Alignment = With
  - Housing Material = Liquid Crystal Polymer (LCP)
  - UL Flammability Rating = UL 94V-0

### Configuration Features:

- Connector Contact Configuration (No. of Pos./Type) = 60/Signal, 30/Ground
- Differential Signaling = Yes
- Guide Location = Left

# **Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant
- UL Rating = Recognized
- CSA Certified = Yes

## Environmental:

Operating Temperature (°C [°F]) = -55 - +85 [-67 - +185]

## Conditions for Usage:

- Applies To = Printed Circuit Board
- Board-to-Board Configuration = Right Angle

## Operation/Application:

- Application Use = Board-to-Board
- Contact Transmits (Typical Application) = Signal (Data)

## Packaging Features:

Other:

Packaging Method = Tube

Brand = Tyco Electronics

Corporate Information

Who We Are Investors News Room Supplier Portal

Careers

Quick Links

Check Distributor Inventory Cross Reference

Find Documents & Drawings Product Compliance Support Center Site Map

Customer Support

Email or Chat With Us Find a Phone Number Search Knowledge Base Manage your Account

# Keep Me Informed

Receive TE News, Events & Technology Updates







Provide Website Feedback



