

1471-9 (3/11)

\sim	
~	
1	

С	DIST	REVISIONS							
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD		
	•		5	ADD 108/114, PRELIM NOTE	09APR2013	CG	CG		
			6	UPDATE VIEWS, 1.75 TO 2.10 SHT1B4	23MAY2013	CG	CG		
			7	ADD SOLDERMASK, UPDATE DIM B	30MAY2013	CG	CG		
			8	MATING PCB PAD LENGTH 2.45 TO 3.15	25JUL2013	CG	CG		

1

A MATERIALS AND FINISH:


-HOUSING AND COVER: THERMOPLASTIC, COLOR: NATURAL -CONTACTS: COPPER ALLOY, FINISH: Sn OVER Ni -HOLD DOWN: COPPER ALLOY, FINISH: Sn OVER Ni

- 2. MUST COMPLY WITH DIRECTIVE 2002/95/EC (ROHS)
- 3. THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING.
- 4. PACKAGED IN TAPE AND REEL

5 PCB EDGE TO BE DETERMINED BY CUSTOMER APPLICATION

- \checkmark TO BE USED WITH 1.0±10% PCB THICKNESS
- \triangle TO BE USED WITH 1.6±10% PCB THICKNESS

A DIMENSION SHOWN IS RECOMMENDED SOLDER MASK OPENING



VIEW E SCALE 12:1


	1.6	WITH COVER	1.44 - 1.75	1.81	2213188-4-
-	1.0	WITH COVER	0.90 - 1.10	1.15	2213188-3
-	1.6	W/O COVER	1.44 - 1.75	1.81	2213188-2
-	1.0	W/O COVER	0.90 -1.10	1.15	2213188-1
-	MARKING	COVER	DIM B	DIM X	PART NO.
IS IAR` ODUCT	Y DIMENSIONS: mm	CHK CLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC 1 PLC 2 PLC 4 PLC	250CT2012 ALLY 250CT2012 INGRICH - NAME AS SPEC C 8 - 32041 TION SPEC SIZE CAGE 4 - 32054 A 2007	SSEMBLY, ARD EDGE INVERTED	onnectivity THROUGH BOARD RESTRICTED TO
GINEERI S PRINT	NG	_	- AZOO7 mer Drawing	79 C-2213188	et of Rev 8

D

С

В

А



	THIS DRAWING IS A C	ONTROLLED DOCUMENT.	С.DAILY C.DAILY снк 250СТ2012 С.GINGRICH	
IS	DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD -	ASSEMBLY,
ARY		0 PLC ±- 1 PLC ±0.2 2 PLC ±0.15 3 PLC ±-	PRODUCT SPEC 108-32041 APPLICATION SPEC	CARD EDGÉ INVERTED THROUGH BOARD
DDUCT GINEERING S PRINT	MATERIAL	4 PLC ±- ANGLES ±2Ű FINISH	114-32054 weight _	A 2 0 0 7 7 9 C=2213188
5 1 1/ 1 1/ 1	_	_	Customer Drawing	scale 7:1 sheet 2 of 4 rev 8

 $| \bigcirc \bigcirc], 4$

2

22	1	3	1	88	- 3	 - 4


			1			
DIST			REVISIONS			
-	Р	LTR	DESCRIPTION	DATE	DWN	APVD
		-	SEE SHEET 1	-	-	-


D

С

В

А





2					1			
	LOC	DIST			REVISIONS			
	-	-	Р	LTR	DESCRIPTION	DATE	DWN	APVD
		•		-	SEE SHEET 1	-	-	-

 $\sqrt{7}$ 9 Uo

> 2213188-2, -4 SCALE 15:1

	THIS DRAWING IS A C	CONTROLLED DOCUMENT.	C.DAILY C.DAILY CHK 250CT2012 C.GINGRICH TE Connectivity					
JARY		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC \pm - 1 PLC \pm 0.2 2 PLC \pm 0.15 3 PLC \pm -		ASSEMBLY, CARD EDGE INVERTED THROUGH BOAR				
RODUCT NGINEERING IS PRINT	MATERIAL –	4 PLC ±- ANGLES ±2Ű FINISH –	<u>114-32054</u> weight _ Customer Drawing	SIZE CAGE CODE DRAWING NO A 2 0 0 7 7 9 C \simeq 2 2 1 3 1 8 8 - SCALE 7 : 1 SHEET 4 OF 4 REV 8				

D

С

В