

227726-3 Product Details

[Share](#) [Print](#) [Email](#)



227726-3

TE Internal Number: 227726-3

 Active

[View 3D PDF](#)

BNC RF Connectors

Not EU RoHS or ELV Compliant (Find RoHS Compliant Alternates)

Product Highlights:

- Connector - RF
- Jack
- Connector Style = Jack
- Applies To Wire/Cable
- Coaxial Cable Termination Type = Solder

[View all Features](#)

Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)

[Request Sample](#)

[Find Similar Products](#)

[Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [SOLDER JACK, ISOLATED, 50 OHM, BNC \(PDF, English\)](#)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- [Coaxial BNC Solder Receptacle Connector \(PDF, English\)](#)

Application Specifications:

- None Available

Instruction Sheets:

- [Series BNC Solder Receptacle Jacks \(PDF, English\)](#)

CAD Files: (CAD Format & Compression Information)

- [2D Drawing \(DXF, Version E\)](#)
- [3D Model \(IGES, Version E\)](#)
- [3D Model \(STEP, Version E\)](#)

[List all Documents](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Connector - RF
- Gender = Jack
- [Grade](#) = Commercial
- [Sealed](#) = No
- [Isolated](#) = Yes
- [Dielectric Material](#) = VALOX
- [Color](#) = White
- [Isolated Component](#) = Bulkhead

Mechanical Attachment:

- [Surface Mountable](#) = No
- [Hardware Included](#) = No
- [Panel Mount Retention](#) = With
- [Panel Mount Retention Type](#) = Bulkhead
- [Panel Attachment Style](#) = Front Mount

Electrical Characteristics:

- [Connector Impedance \(Ω\)](#) = 50

Contact Features:

- [Center Contact Material](#) = Phosphor Bronze
- [Center Contact Plating](#) = Gold

Housing Features:

- [Connector Style](#) = Jack

Configuration Features:

- [Number of Ports](#) = 1
- [Solder Terminal](#) = Without

Industry Standards:

- [Government/Industry Qualification](#) = No
- [RoHS/ELV Compliance](#) = Not ELV/RoHS compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process

Conditions for Usage:

- [Applies To](#) = Wire/Cable

Termination Features:

- [Coaxial Cable Termination Type](#) = Solder

Body Features:

- [Body Style](#) = Straight
- [Body Plating](#) = Nickel
- [Body Insulation](#) = Without
- [Polarized](#) = No
- [Flange and Thread Material](#) = VALOX
- [Flange and Thread Material Color](#) = Black

Other:

- [Brand](#) = AMP

Corporate Information

[About TE](#)
[Investors](#)
[News Room](#)
[Supplier Portal](#)
[Careers](#)
[Terms & Conditions](#)
[Privacy Policy](#)
[AODA Accessibility Policy](#)
[AODA Multi-Year Accessibility Plan](#)

Quick Links

[Distributor Inventory](#)
[Product Cross Reference](#)
[Documents & Drawings](#)
[Product Compliance Support Center](#)
[Site Map](#)

Customer Support



[Email or Chat With Us](#)
[Find a Phone Number](#)
[Knowledge Base](#)
[Manage Your Account](#)

Keep Me Informed

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AJ	16	E	EC PER OS14-0192-04	12NOV2004	JGH JL

1. FOR USE IN PANELS UP TO .250 MAXIMUM THICK.



SUGGESTED PANEL CUTOUT
SCALE 4:1

9-414815-0	1-329492-1	227529-3	227726-3
9-414815-0	1-329492-1	227529-2	227726-2
9-414815-0	1-329492-1	227529-1	227726-1
3 JAM NUT QTY=1	2 LOCKWASHER QTY=1	1 JACK ASSY QTY=1	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. LIPPERT 5-12-94	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		CHK D. TAYLOE 5-16-94		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. TAYLOE 5-16-94	NAME SOLDER JACK, ISOLATED, 50 OHM, BNC	
0 PLC ± -	1 PLC ± -	PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
2 PLC ± -	3 PLC ± -	APPLICATION SPEC	SCALE 8:1 SHEET 1 OF 1 REV E	
4 PLC ± -	ANGLES ± -	MATERIAL	WEIGHT .290 OZ EACH A2 00779 C=227726	
FINISH			CUSTOMER DRAWING	