

Distributed by:

JAMECO[®]
ELECTRONICS

www.Jameco.com ♦ 1-800-831-4242

The content and copyrights of the attached
material are the property of its owner.

Jameco Part Number 1967336

Terminals and Splices

Ring and Spade Tongue Terminals

AMP 33115-1 Active [Active](#)

[RoHS Compliant](#) [RoHS Compliant](#)

(Tyco Electronics P/N: 33115-1)

[Search for Parts](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

| Related Part Information | | |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------------|
| General Information | eCommerce | Related Part Information |
| General Info Sales Info Assembly Subcontractors | Pricing Product Availability | Tooling |

| Searchable Features: | |
|-------------------------------------------|------------------------------------|
| Brand: | AMP |
| Government/Industry Qualification: | No |
| RoHS/ELV Compliance: | RoHS compliant, ELV compliant |
| Lead Free Solder Process: | Not relevant for lead free process |
| Terminal Shape: | Ring Tongue |
| Receptacle Style: | Bent 90 Degrees |
| Body Style: | SOLISTRAND |
| Barrel Type: | Closed Barrel |
| Wire/Cable Type: | Regular Wire |
| Wire Range (mm [AWG]): | 4 |
| Wire Range (CMA): | 33,100 – 52,600 |
| Insulation: | No |

| Other Properties: | |
|-------------------------------------|----------------------|
| RoHS/ELV Compliance History: | Always was compliant |
| Barrel I.D. Min. (mm [in]): | 7.11 [0.280] |
| Stock Thickness (mm [in]): | 1.78 [0.070] |

- [Home](#)
- [Part Number Search](#)
- [Document Search](#)
- [CAD Model Search](#)
- [Text Search](#)
- [Alternate/Lead Free Part Search](#)
- [Multiple Part Comparison](#)
- [Alphabetical Search](#)
- [Brand Search](#)
- [Industry Product Search](#)
- [Product Type Search](#)
- [Product Family Search](#)
- [Competitor Cross Reference](#)
- [Lead Free Solutions](#)
- [Tool Search](#)
- [Help/Glossary](#)

| | |
|---------------------------------|------------------------|
| Insulation Support: | Non-Insulation Support |
| Stud Size: | 5/16 [M8] |
| Stud Diameter (mm [in]): | 8.33 [0.328] |
| Shape: | RING-049 |
| Heavy Duty: | Standard |
| Packaging Method: | Loose Piece |
| Material: | Copper |
| Finish: | Tin |

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Contact Us](#) | [About](#) | [Home](#)

i2 Technologies US, Inc.

HTML Pages converted to PDF Document

This document contains component information from the manufacturer's website which are not available in a revision controlled document from the manufacturer. To facilitate the addition of these parts into the Electronics Database, we are converting the HTML pages related to that part, from the manufacturer's website into Adobe PDF format. The contents of this document is based on the information provided on the manufacturer's website, therefore the information may have been changed by the manufacturer since this was created.

