


## 34132 Product Details

[Share](#) [Print](#) [Email](#)



**34132**

TE Internal Number: 34132

 Active

### Splices - Closed Barrel

 Always EU RoHS/ELV Compliant (Statement of Compliance)

#### Product Highlights:

- Splice
- Not Sealed
- Splice Type = Parallel
- Body Style = PLASTI-GRIP
- Insulated

[View all Features](#)

### Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)

[Request Sample](#)

[Find Similar Products](#)

[Buy Product](#)

### Documentation & Additional Information

#### Product Drawings:

- [WIRE SPLICE, PARALLEL, PLASTI-GRIP, WIRE SIZE : 22-16](#) (PDF, English)

#### Catalog Pages/Data Sheets:

- None Available

#### Product Specifications:

- None Available

#### Application Specifications:

- [PLASTI-GRIP Terminals and Splices](#) (PDF, English)

#### Instruction Sheets:

- [Pressure Type Wire Connectors Wire Combinations PLAS...](#) (PDF, English)

#### CAD Files:

- None Available

[List all Documents](#)

#### Related Products:

- [Tooling](#)

### Product Features (Please use the Product Drawing for all design activity)

#### Product Type Features:

- [Product Type](#) = Splice
- [Sealed](#) = No
- [Splice Type](#) = Parallel
- [Insulation](#) = Yes
- [Insulation Support](#) = Insulation Support
- [Finish](#) = Tin
- [Color](#) = Red

#### Termination Features:

- [Wire/Cable Size \(CMA\)](#) = 509 - 3,260

#### Dimensions:

- [Insulation Diameter \(mm \[in\]\)](#) = 3.56 [.140] Max.

#### Body Features:

- [Body Style](#) = PLASTI-GRIP
- [Wire Range \(mm \[AWG\]\)](#) = 0.30-1.40<sup>2</sup> [22-16]
- [Material](#) = Copper

#### Industry Standards:

- [Government/Industry Qualification](#) = No
- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- [RoHS/ELV Compliance History](#) = Always was RoHS compliant

#### Packaging Features:

- [Packaging Method](#) = Loose Piece/Bulk

#### Other:

- [Brand](#) = AMP

- Insulation Sleeve Material = Vinyl

### Corporate Information

[About TE](#)  
[Investors](#)  
[News Room](#)  
[Supplier Portal](#)  
[Careers](#)  
[Terms & Conditions](#)  
[Privacy Policy](#)

### Quick Links

[Distributor Inventory](#)  
[Product Cross Reference](#)  
[Documents & Drawings](#)  
[Product Compliance Support Center](#)  
[Site Map](#)

### Customer Support

[Email or Chat With Us](#)  
[Find a Phone Number](#)  
[Knowledge Base](#)  
[Manage Your Account](#)


### Keep Me Informed



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
G	14		D	REDRAWN PER 0G3A-0550-03	05SEP03	JR	TM

1 FOR .105 TO .140 WIRE INSULATION DIA.



100	LOOSE PIECE, BOX	INSULATION: PVC COLOR: RED	8-34132-1
1	WIRE SPLICE	BODY: COPPER (QQ-C-576) TIN PLATE PER ASTM B-545	34132
QTY	PART NO	MATERIAL / FINISH	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN jr_ruth 05SEP03	Tyco Electronics Corporation Harrisburg, PA 17105	
DIMENSIONS: INCHES 		CHK T MICHIELUTTI 05SEP03	NAME WIRE SPLICE, PARALLEL, PLASTI-GRIP, WIRE SIZE : 22-16	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 4 PLC ± - ANGLES ± 1°		APVD T MICHIELUTTI 05SEP03	PRODUCT SPEC -	
MATERIAL SEE TABLE		FINISH SEE TABLE	APPLICATION SPEC -	RESTRICTED TO -
		WEIGHT -	SIZE A3	CAGE CODE 00779
CUSTOMER DRAWING			DRAWING NO C-34132	SCALE 4:1
			SHEET 1 OF 1	REV D