

34136 Product Details

[Share](#) [Print](#) [Email](#)



34136

TE Internal Number: 34136

 Active

Splices - Closed Barrel

 Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Splice
- Not Sealed
- Splice Type = Parallel
- Body Style = PLASTI-GRIP
- Insulated

[View all Features](#)

Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)

[Request Sample](#)

[Find Similar Products](#)

[Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [WIRE SPLICE, PARALLEL, PLASTI-GRIP, WIRE SIZE : 12-10](#) (PDF, English)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- [PLASTI-GRIP Terminals and Splices](#) (PDF, English)

Instruction Sheets:

- [Pressure Type Wire Connectors Wire Combinations PLAS...](#) (PDF, English)

CAD Files:

- None Available

[List all Documents](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Splice
- [Sealed](#) = No
- [Splice Type](#) = Parallel
- [Insulation](#) = Yes
- [Insulation Support](#) = Insulation Support
- [Finish](#) = Tin
- [Color](#) = Yellow

Termination Features:

- [Wire/Cable Size \(CMA\)](#) = 5,180 - 13,100

Dimensions:

- [Insulation Diameter \(mm \[in\]\)](#) = 5.84 [.230] Max.

Body Features:

- [Body Style](#) = PLASTI-GRIP
- [Wire Range \(mm \[AWG\]\)](#) = 3.00-6.00² [12-10]
- [Material](#) = Copper

Industry Standards:

- [Government/Industry Qualification](#) = No
- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- [RoHS/ELV Compliance History](#) = Always was RoHS compliant

Packaging Features:

- [Packaging Method](#) = Loose Piece/Bulk

Other:

- [Brand](#) = AMP

- Insulation Sleeve Material = Vinyl

Corporate Information

[About TE](#)
[Investors](#)
[News Room](#)
[Supplier Portal](#)
[Careers](#)
[Terms & Conditions](#)
[Privacy Policy](#)

Quick Links

[Distributor Inventory](#)
[Product Cross Reference](#)
[Documents & Drawings](#)
[Product Compliance Support Center](#)
[Site Map](#)

Customer Support

[Email or Chat With Us](#)
[Find a Phone Number](#)
[Knowledge Base](#)
[Manage Your Account](#)


Keep Me Informed



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
G	14		D	REDRAWN PER 0G3A-0550-03	05SEP03	JR	TM

1 FOR .150 TO .230 WIRE INSULATION DIA.



50	LOOSE PIECE, BOX	INSULATION: PVC COLOR: YELLOW	8-34136-2
1	WIRE SPLICE	BODY: COPPER (QQ-C-576) TIN PLATE PER ASTM B-545	34136
QTY	PART NO	MATERIAL / FINISH	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN jr_ruth 05SEP03	Tyco Electronics Corporation Harrisburg, PA 17105	
DIMENSIONS: INCHES		CHK T MICHIELUTTI 05SEP03	NAME WIRE SPLICE, PARALLEL, PLASTI-GRIP, WIRE SIZE : 12-10	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T MICHIELUTTI 05SEP03	PRODUCT SPEC	
0 PLC ± -		APPLICATION SPEC		
1 PLC ± -		SIZE		
2 PLC ± -		CAGE CODE		
3 PLC ± .005		DRAWING NO		
4 PLC ± -		RESTRICTED TO		
ANGLES ± 1'		A3 00779 C-34136		
MATERIAL SEE TABLE	FINISH SEE TABLE	WEIGHT -		SCALE 4:1
CUSTOMER DRAWING				SHEET 1 OF 1
				REV D