




Our commitment. Your advantage.

Search

[Products](#) [Documentation](#) [Resources](#) [My Account](#) [Customer Support](#)

350180 Product Details



No Image Available

350180

TE Internal Number: 350180



Test Probe Receptacles

[Always EU RoHS/ELV Compliant](#) ([Statement of Compliance](#))

Product Highlights:

- Connector Type = Test Probe Receptacle
- 3 Mounting Legs
- Terminate To Printed Circuit Board
- Gold Contact Plating, Mating Area, Material
- With Funnel Entry

[View all Features](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)

[Request Sample](#)

[Find Similar Products](#)

[Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [TEST PROBE ASSY](#) (PDF, English)

Catalog Pages/Data Sheets:

- [PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS](#) (PDF, English)

Product Specifications:

- None Available

Application Specifications:

- [Test Probe Receptacle Contacts](#) (PDF, English)

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Connector Type = Test Probe Receptacle
- [Number of Mounting Legs](#) = 3
- [Funnel Entry](#) = With
- Receptacle/Leg Material = Brass 6

Termination Related Features:

- [Termination Post Length \(mm \[in\]\)](#) = 3.30 [0.130]

Contact Related Features:

- Contact Plating, Mating Area, Material = Gold
- Contact Base Material = Beryllium Copper

Housing Related Features:

- [Housing Color](#) = Black
- Housing Material = Nylon

Configuration Related Features:

- [Height Above PC Board \(mm \[in\]\)](#) = 5.84 [0.230]

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- Terminate To = Printed Circuit Board

Other:

- Brand = AMP

[Provide Website Feedback](#) | [Need Help?](#)