



- △ HOUSING MATERIAL: GLASS-FILLED POLYMER. COLOR: GRAY.
- △ CONTACT MATERIAL: COPPER ALLOY.
- △ CONTACT FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN ON POSTS.
- △ PART NUMBER, DATE CODE IDENTIFICATION, CSA LOGO IN THIS APPROXIMATE AREA.
- △ POINT OF MEASUREMENT FOR DIN 41612 CLASS 2 FINISH.
- △ ACTION PIN POSTS REQUIRE 1.57 [.062] MIN THICK PC BOARD. RECOMMENDED PC BOARD HOLES ARE Ø.151±0.02 [.0453±.001] DRILLED HOLE WITH 0.02-0.07 [.001-.003] COPPER AND 0.008 [.0003] MIN TIN-LEAD PLATING. FINISHED HOLE AFTER PLATING, Ø.094-1.09 [.037-.043].

△ 3	1 THRU 16	X	X	X	48	5535034-5
△ 3	1 THRU 16	X	X	X	48	5535034-4
NOTES	POSITIONS LOADED	C	B	A	NO. OF LOADED POSITION	ASSY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIM: J. POLIGNONE 18APR05. Tyco Electronics Corporation, Harrisburg, Pa 17105-3608.

APPROVED BY: A. SHARPE 18APR05. NAME: A. SHARPE 18APR05.

PRODUCT SPEC: ASSEMBLY, RECEPTACLE, EUROCARD, TYPE C/2, LEAD-FREE, 48, .190 TOOLLESS PRESS-FIT.

APPLICATION SPEC: ---

SIZE: A1. CAGE CODE: 00779. DRAWING NO: 5535034. RESTRICTED TO: ---

MATERIAL: △ 1 △ 2. FINISH: △ 3. WEIGHT: ---. CUSTOMER DRAWING. SCALE: 4:1. SHEET: 1 OF 1. REV: 0.