








LOC		DIST		REVISIONS				
P	LTR	DATE	DMN	APVD				
A		REVISED PER ECO-05-008314	20DEC05	JDP	RW			



- 1 HOUSING MATERIAL: LIQUID CRYSTAL POLYMER.
- 2 CONTACT MATERIAL: PHOSPHOR-BRONZE.
- 3 CONTACT FINISH:(D)
 UNDERPLATE (ENTIRE CONTACT):
 0.00127 MIN NICKEL PER SAE-AMS-QQ-N-290
 ON MATING SURFACES:
 FLASH GOLD PER ASTM B 488, OVER
 0.00076 MIN PALLADIUM-NICKEL OVER UNDERPLATE, OR
 0.00076 MIN GOLD PER ASTM B 488 OVER UNDERPLATE.
 ON LEADS:
 0.00381 MIN MATTE TIN PER ASTM B 545 OVER UNDERPLATE.
 LUBRICATION (MIN MATING SURFACES):
 SURFACE CONDITIONER AFTER PLATING.

RECOMMENDED CIRCUIT PATTERN
 PER IPC-D300 TYPE II, CLASS C
 (COMPONENT SIDE)

10	5	6	1	11.88	3	8	5536607-1																				
E	D	C	B	A	FINISH	NO OF POSN	PART NUMBER																				
THIS DRAWING IS A CONTROLLED DOCUMENT.				DIN D.R.BENDER 08/10/92	Tyco Electronics Corporation Harrisburg, PA 17105-3608																						
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		<table border="1"> <tr> <td>0 PLC</td> <td>±</td> <td>-</td> </tr> <tr> <td>1 PLC</td> <td>±</td> <td>-</td> </tr> <tr> <td>2 PLC</td> <td>±</td> <td>.13</td> </tr> <tr> <td>3 PLC</td> <td>±</td> <td>.13</td> </tr> <tr> <td>4 PLC</td> <td>±</td> <td>-</td> </tr> <tr> <td>ANGLES</td> <td>±</td> <td>-</td> </tr> </table>				0 PLC	±	-	1 PLC	±	-	2 PLC	±	.13	3 PLC	±	.13	4 PLC	±	-	ANGLES	±	-		
0 PLC	±	-																									
1 PLC	±	-																									
2 PLC	±	.13																									
3 PLC	±	.13																									
4 PLC	±	-																									
ANGLES	±	-																									
				<table border="1"> <tr> <td>NAME</td> <td colspan="3">Z-PACK 2mm FB, POWER MODULE, RCPT. ASS'Y.</td> </tr> <tr> <td>PRODUCT SPEC</td> <td colspan="3">4 ROW, 2.73 mm LEAD LENGTH</td> </tr> <tr> <td>APPLICATION SPEC</td> <td colspan="3"></td> </tr> <tr> <td>SIZE</td> <td>CAGE CODE</td> <td>DRAWING NO</td> <td>RESTRICTED TO</td> </tr> <tr> <td>A1</td> <td>00779</td> <td>5536607</td> <td></td> </tr> </table>				NAME	Z-PACK 2mm FB, POWER MODULE, RCPT. ASS'Y.			PRODUCT SPEC	4 ROW, 2.73 mm LEAD LENGTH			APPLICATION SPEC				SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	A1	00779	5536607	
NAME	Z-PACK 2mm FB, POWER MODULE, RCPT. ASS'Y.																										
PRODUCT SPEC	4 ROW, 2.73 mm LEAD LENGTH																										
APPLICATION SPEC																											
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO																								
A1	00779	5536607																									
MATERIAL		FINISH		WEIGHT		CUSTOMER DRAWING																					
1 2		3		SCALE 4:1		SHEET 1 OF 1 REV A																					