


## 62026-1 Product Details



**62026-1**

TE Internal Number: 62026-1



[Active](#)



[View 3D PDF](#)

### FASTON Uninsulated Receptacles & Housings

 [Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

#### Product Highlights:

- Product Classification = Connectors - Terminals and Splices
- Terminal
- Terminal Type = Receptacle/Tab Combination
- Tab Fit = 4.75 x 0.51 mm
- Board Mount = No

[View all Features](#)

#### Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)

[Request Sample](#)

[Find Similar Products](#)

[Buy Product](#)

Documentation & Additional Information	
<p><b>Product Drawings:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">rcpt &amp; tab faston piggyback .187 series</a> (PDF, English)</li> </ul> <p><b>Catalog Pages/Data Sheets:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Automachine and General Products</a> (PDF, English)</li> <li>• <a href="#">FASTON Terminals Receptacles</a> (PDF, English)</li> <li>• <a href="#">FASTON Terminals Strip/LP Cross Ref</a> (PDF, English)</li> </ul> <p><b>Product Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Application Specifications:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">FASTON Piggyback Receptacles</a> (PDF, English)</li> </ul> <p><b>Instruction Sheets:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>CAD Files:</b> (<a href="#">CAD Format &amp; Compression Information</a>)</p> <ul style="list-style-type: none"> <li>• <a href="#">2D Drawing</a> (DXF, Version E)</li> <li>• <a href="#">3D Model</a> (IGES, Version E)</li> <li>• <a href="#">3D Model</a> (STEP, Version E)</li> </ul>	<p><b>Additional Information:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Product Line Information</a></li> </ul> <p><b>Related Products:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Tooling</a></li> </ul>

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)	
<p><b>Product Type Features:</b></p> <ul style="list-style-type: none"> <li>• Product Classification = Connectors - Terminals and Splices</li> <li>• Product Type = Terminal</li> <li>• <a href="#">Terminal Type</a> = Receptacle/Tab Combination</li> <li>• <a href="#">Tab Fit (mm [in])</a> = 4.75 x 0.51 [.187 x .020]</li> <li>• <a href="#">Receptacle Style</a> = Straight</li> <li>• <a href="#">Insulation Support</a> = Insulation Support</li> <li>• <a href="#">Wire/Cable Type</a> = Stranded</li> <li>• <a href="#">Insulation Diameter (mm [in])</a> = 2.29-3.30 [.090-.130]</li> <li>• <a href="#">Insertion Force</a> = Normal</li> <li>• <a href="#">Material</a> = Brass</li> <li>• <a href="#">Finish</a> = Tin</li> <li>• <a href="#">Crimp Type</a> = F-Crimp</li> <li>• CSA Certified = Yes</li> </ul> <p><b>Mechanical Attachment:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Board Mount</a> = No</li> </ul>	<p><b>Body Related Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Wire Range (mm [AWG])</a> = 0.50-1.40<sup>2</sup> [20-16]</li> <li>• UL Rating = Listed</li> <li>• Stock Thickness (mm [in]) = 0.36 [0.014]</li> </ul> <p><b>Industry Standards:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">RoHS/ELV Compliance</a> = RoHS compliant, ELV compliant</li> <li>• <a href="#">Lead Free Solder Processes</a> = Not relevant for lead free process</li> <li>• RoHS/ELV Compliance History = Always was RoHS compliant</li> </ul> <p><b>Packaging Related Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Packaging Method</a> = Strip</li> </ul> <p><b>Other:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Line</a> = Commercial</li> <li>• Brand = AMP</li> </ul>