


640251-4 Product Details



640251-4

TE Internal Number: 640251-4

 [Active](#)

 [View 3D PDF](#)

MTA, CST-100 II, MT-6 and SL Connectors and Headers

 [Always EU RoHS/ELV Compliant](#)
([Statement of Compliance](#))

Product Highlights:

- Housing
- 4 Positions
- Housing Type = Receptacle
- SL-156 Product Line
- Wire-to-Board Application

[View all Features](#)

Documentation & Additional Information

Product Drawings:

- [HOUSING WITHOUT LOCKING RAMP, SL-156](#) (PDF, English)

Catalog Pages/Data Sheets:

- [MTA, CST-100 II, SL-156 and AMP Economy Power \(EP\) C...](#) (PDF, English)

Product Specifications:

- [SL 156 Connectors](#) (PDF, English)
- [Connector, Hooded SL 156](#) (PDF, English)
- [Connector, Hooded SL 156, Tin](#) (PDF, English)

Application Specifications:

- [SL 156 Contacts and Housings](#) (PDF, English)

Instruction Sheets:

- None Available

CAD Files: ([CAD Format & Compression Information](#))

- [2D Drawing](#) (DXF, Version R)
- [3D Model](#) (IGES, Version R)
- [3D Model](#) (STEP, Version R)

[List all Documents](#)

Additional Information:

- [Product Information](#)
- [Product Line Information](#)

Additional Product Images:

- [Product Photo](#)

Related Products:

- [Tooling](#)
- [Mating Products \(53\)](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Housing
- [Number of Positions](#) = 4
- [Product Line](#) = SL-156
- [Wire Termination Type](#) = Crimp
- [Mating Polarization](#) = Without
- Mating Connector Lock = Without
- [Four Points of Contact](#) = Without
- [Shrouded](#) = No
- [Mounting Ears](#) = Without
- Wire Insulation Diameter (mm [in]) = 2.79 [0.110]
- Comment = Recommended contact: Part No. 640252-1,-2 and Part No. 770476-1,-2.

Contact Related Features:

- [Contact Centerline Spacing \(mm \[in\]\)](#) = 3.96 [0.156]

Housing Related Features:

- Housing Type = Receptacle
- Housing Color = White
- Housing Flammability Rating = UL 94V-0
- Housing Material = Nylon

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS

- Mechanical Attachment:**
- [Panel Attachment](#) = Without

- Body Related Features:**
- Cable Exit Angle = 180°

- RoHS, REACH Compliance listed, always has RoHS compliant

- Operation/Application:**
- [Application](#) = Wire-to-Board

- Other:**
- Brand = AMP