


## 641994-1 Product Details

[Share](#) [Print](#) [Email](#)



**641994-1**

TE Internal Number: 641994-1

Active

[View 3D PDF](#)

### MTA, CST and SL Accessories

Always EU RoHS/ELV Compliant  
(Statement of Compliance)

### Product Highlights:

- Accessory Type = Keying Plug
- Keying Plug Type = Flush
- Without Panel Mount Retention
- Used For MTA-100 Connectors
- RoHS compliant, ELV compliant

[View all Features](#)

### Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)

[Request Sample](#)

[Find Similar Products](#)

[Buy Product](#)

### Documentation & Additional Information

#### Product Drawings:

- [KEYING PLUG WITH CARRIER STRIP, MTA 100](#) (PDF, English)

#### Catalog Pages/Data Sheets:

- [MTA, CST-100 II, SL-156 and AMP Economy Power \(EP\) C...](#) (PDF, English)

#### Product Specifications:

- None Available

#### Application Specifications:

- None Available

#### Instruction Sheets:

- None Available

#### CAD Files: (CAD Format & Compression Information)

- [2D Drawing](#) (DXF, Version D1)
- [3D Model](#) (IGES, Version D1)
- [3D Model](#) (STEP, Version D1)

[List all Documents](#)

#### Additional Information:

- [Product Line Information](#)

#### Additional Product Images:

- [Product Photo](#)

#### Related Products:

- [Tooling](#)

### Product Features (Please use the Product Drawing for all design activity)

#### Product Type Features:

- [Accessory Type](#) = Keying Plug
- [Keying Plug Type](#) = Flush
- [Used For](#) = MTA-100 Connectors
- Color = Natural

#### Mechanical Attachment:

- Panel Mount Retention = Without

#### Body Features:

- Body Material = Nylon 6/6

#### Housing Features:

- UL Flammability Rating = UL 94V-2

#### Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- [RoHS/ELV Compliance History](#) = Always was RoHS compliant

#### Conditions for Usage:

- Keying Plug Requires Contact Removal = No

#### Packaging Features:

- Packaging Method = Strip
- Packaging Quantity = 10

#### Other:

- Brand = AMP
- Comment = Used with keyed headers.; 10 pieces

per carrier.

### Corporate Information

[About TE](#)  
[Investors](#)  
[News Room](#)  
[Supplier Portal](#)  
[Careers](#)  
[Terms & Conditions](#)  
[Privacy Policy](#)

### Quick Links

[Distributor Inventory](#)  
[Product Cross Reference](#)  
[Documents & Drawings](#)  
[Product Compliance Support Center](#)  
[Site Map](#)

### Customer Support

[Email or Chat With Us](#)  
[Find a Phone Number](#)  
[Knowledge Base](#)  
[Manage Your Account](#)





### Keep Me Informed




LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DN	APVD		
D2		REVISED PER ECO-11-004820	11MAR11	RK	HMR		



1. DIMENSIONS IN BRACKETS ARE IN INCHES.
2. NOTE ONE STRIP IS ORDERED AS 10 PIECES OF 641994-1.
3. MISALIGNMENT OF KEYING PLUGS ON CARRIER STRIP IS ALLOWABLE. KEYING PLUGS MUST REMAIN ATTACHED TO CARRIER.



DETAIL A  
SCALE 20:1  
ROTATED 90° CW



SECTION A-A



SECTION B-B  
OPTIONAL CONSTRUCTION  
2 PLC

641994-1  
PART NUMBER

METRIC

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN K. WHITAKER 12SEP2005		STE TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK J. ELLIS 12SEP2005		NAME KEYING PLUG WITH CARRIER STRIP, MTA 100	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. ELLIS 12SEP2005		PRODUCT SPEC	
0. PLC	± -	APPLICATION SPEC		SIZE CAGE CODE DRAWING NO. RESTRICTED TO	
1. PLC	± -	WEIGHT		A1 00779 C=641994	
2. PLC	± -	CUSTOMER DRAWING		SCALE 5:1 SHEET 1 OF 1 REV D2	
3. PLC	± 0.13 [.005]				
4. PLC	± -				
ANGLES	± -				
MATERIAL NYLON, 6/6	FINISH -				