


643067-2 Product Details

[Share](#) [Print](#) [Email](#)



643067-2

TE Internal Number: 643067-2

Active

[View 3D PDF](#)

MTA, CST and SL Accessories

Always EU RoHS/ELV Compliant
(Statement of Compliance)

Product Highlights:

- Accessory Type = Strain Relief Covers
- Without Panel Mount Retention
- Cover Style = Closed End
- 2 Positions
- Used For MTA-156 Connectors

[View all Features](#)

Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)

[Request Sample](#)

[Find Similar Products](#)

[Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [COVER, MOLDED, .095 MAX O.D. WIRE, MTA-156](#) (PDF, English)

Catalog Pages/Data Sheets:

- [MTA, CST-100 II, SL-156 and AMP Economy Power \(EP\) C...](#) (PDF, English)

Product Specifications:

- None Available

Application Specifications:

- [MTA 156 Ribbon Cable Connector Assemblies \(English A...](#) (PDF, English)
- [MTA 156 Ribbon Cable Connector Assemblies \(English A...](#) (PDF, Japanese)

Instruction Sheets:

- [Storage Maintenance for Mass Termination Assembly \(M...](#) (PDF, English)

CAD Files: (CAD Format & Compression Information)

- [2D Drawing](#) (DXF, Version G)
- [3D Model](#) (IGES, Version G)
- [3D Model](#) (STEP, Version G)

[List all Documents](#)

Additional Information:

- [Product Line Information](#)

Additional Product Images:

- [Product Photo](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Accessory Type](#) = Strain Relief Covers
- [Cover Style](#) = Closed End
- [Used For](#) = MTA-156 Connectors
- [Wire Insulation Diameter](#) (mm [in]) = 2.41 [0.095]
- [Color](#) = White

Mechanical Attachment:

- [Panel Mount Retention](#) = Without

Body Features:

- [Body Material](#) = Nylon

Housing Features:

Configuration Features:

- [Number of Positions](#) = 2

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- [RoHS/ELV Compliance History](#) = Always was RoHS compliant

Packaging Features:

- [Packaging Quantity](#) = 500

- UL Flammability Rating = UL 94V-2

Other:

- Brand = AMP

Corporate Information

[About TE](#)
[Investors](#)
[News Room](#)
[Supplier Portal](#)
[Careers](#)
[Terms & Conditions](#)
[Privacy Policy](#)

Quick Links

[Distributor Inventory](#)
[Product Cross Reference](#)
[Documents & Drawings](#)
[Product Compliance Support Center](#)
[Site Map](#)



Customer Support

[Email or Chat With Us](#)
[Find a Phone Number](#)
[Knowledge Base](#)
[Manage Your Account](#)




Keep Me Informed





1. PART MAY BE MOLDED TO DESIRED POSITION SIZE OR CUT TO DESIRED POSITION SIZE FROM A LARGER POSITION SIZE PART. WHEN PART IS CUT TO DESIRED POSITION SIZE, A PORTION OF FRONT LOCKING BAR WILL REMAIN ATTACHED.
2. DIMENSIONS IN BRACKETS ARE IN INCHES.
3. TWO POSITION (-2) PARTS WILL BE MOLDED ONLY.



3-DIMENSIONAL MODEL NTS

24 CIRCUIT ASSEMBLIES	95.10	[3.744]	2-643067-4
23 CIRCUIT ASSEMBLIES	91.14	[3.588]	2-643067-3
22 CIRCUIT ASSEMBLIES	87.17	[3.432]	2-643067-2
21 CIRCUIT ASSEMBLIES	83.21	[3.276]	2-643067-1
20 CIRCUIT ASSEMBLIES	79.25	[3.120]	2-643067-0
19 CIRCUIT ASSEMBLIES	75.29	[2.964]	1-643067-9
18 CIRCUIT ASSEMBLIES	71.32	[2.808]	1-643067-8
17 CIRCUIT ASSEMBLIES	67.36	[2.652]	1-643067-7
16 CIRCUIT ASSEMBLIES	63.40	[2.496]	1-643067-6
15 CIRCUIT ASSEMBLIES	59.44	[2.340]	1-643067-5
14 CIRCUIT ASSEMBLIES	55.47	[2.184]	1-643067-4
13 CIRCUIT ASSEMBLIES	51.51	[2.028]	1-643067-3
12 CIRCUIT ASSEMBLIES	47.55	[1.872]	1-643067-2
11 CIRCUIT ASSEMBLIES	43.59	[1.716]	1-643067-1
10 CIRCUIT ASSEMBLIES	39.62	[1.560]	1-643067-0
9 CIRCUIT ASSEMBLIES	35.66	[1.404]	643067-9
8 CIRCUIT ASSEMBLIES	31.70	[1.248]	643067-8
7 CIRCUIT ASSEMBLIES	27.74	[1.092]	643067-7
6 CIRCUIT ASSEMBLIES	23.77	[.936]	643067-6
5 CIRCUIT ASSEMBLIES	19.81	[.780]	643067-5
4 CIRCUIT ASSEMBLIES	15.85	[.624]	643067-4
3 CIRCUIT ASSEMBLIES	11.89	[.468]	643067-3
2 CIRCUIT ASSEMBLIES	7.92	[.312]	643067-2
USE ON MTA 156 ASSEMBLIES AS LISTED			PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN	T. BECK	5-21-91
DIMENSIONS: INCHES		CHK	R. SWING	5-21-91
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	G. MILLER	5-22-91
0 PLC	± -	NAME		
1 PLC	± -	COVER, MOLDED, .095 MAX		
2 PLC	± -	O.D. WIRE, MTA-156		
3 PLC	± 0.13 [.005]	APPLICATION SPEC		
4 PLC	± -	SIZE		
ANGLES	± -	CAGE CODE		
MATERIAL	NYLON,UL 94V-2 WHITE	DRAWING NO		
FINISH	-	A1 00779 C=643067		
CUSTOMER DRAWING		SCALE		10:1
		SHEET		1 OF 1
		REV		G1