

6648167-1 Product Details



6648167-1

TE Internal Number: 6648167-1 🞻 Active

High Current ELCON Drawer Connectors


n Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Connector
- Connector
 Not Preloaded
 Connector Style = Receptacle
 Contact Size = 8, 12, 20
 Drawer Style = Middle


Documentation & Additional Information							
Additional Information: • Product Line Information							
Related Products: • Tooling							

Product Type Features:Product Type = Connector	Configuration Features: • Preloaded = No
 Electrical Characteristics: Current Rating (A) = 75 	 Type of Contact = Size 8 + Size 12 + Size 20 Industry Standards: RoH5/ELV Compliance = RoHS compliant, ELV compliant
Body Features: • Drawer Style = Middle • Mount Type = Float	 Lead Free Solder Processes = Not relevant for lead free process RoHS/ELV Compliance History = Always was RoHS compliant
Contact Features: • Contact Size = 8, 12, 20	Other: • Brand = Elcon
Housing Features: • Connector Style = Receptacle • Housing Material = Thermoplastic - GF • Housing Color = Black • UL Flammability Rating = UL 94V-0	



Pro/ENGINEER DRAWING

LOC	DIST			REVISIONS				
GΡ	00	Ρ	LTR	DESCRIPTION		DATE	DWN	APVD
			С	REV PER ECO-08-007334		26MAR2008	RG	SF



2


		AS SHOWN	664816	7 - I
		DESCRIPTION	PART NU	MBER
THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.	DWN 26MAR2008 R.GRZYBOWSKI CHK 26MAR2008 D.ORRIS	😤 Tyco Electronics	Electronics sburg, PA 17105-3608	
DIMENSIONS: INCHES OPLC ±- IPLC ±- 2PLC ±.02 3PLC ±.010	APVD 26MAR2008 NAM S.FLICKINGER PRODUCT SPEC - APPLICATION SPEC	SOCKET CONNECT SUBASSEMBLY W/ FLOAT M	SCREW MNT.	
MATERIAL FINISH	weight	200779 C 6648167		RESTRICTED TO

С

D

В

А



AMP |47|-9 REV 3|MAR2000

	2								
		LOC DIST		REVIS	SIONS				
		GP 00	P LTR	DESCRI	PTION	DATE	DWN	APVD	
		•	-	SEE SHEET I		-	-	-	
									D
	PART NUMBER CHANG	GES AND	IOR D	FSIGN CHANG	ES AFFECTIN	G			
Ι.	ITEM INTERCHANGEA		REQU		ECTRONICS	\bigcirc			
	APPROVAL AND AUTH				TO THIS DRA	WING.			
\wedge									
2	MATERIAL :								
	INSULATOR:				EINFORCED,	UL94\	/ - ()		
	FLAMMABILITY	'RATED	, COL	OR - BLACK					
	RETENTION CL	<u>-</u> I P - B	ERYLL	IUM COPPER	OR STAINLES	S SIE			С
З	RETENTION CLIPS I	NSTALI	FD IN	THE CONNEC	TOR ASSEMBL	Y			C
0.	KEIENIION CEIIGI	NUTALL			ION ADDLMDL	1.			
4	ITEMS PROVIDED TO IDENTIFIED PER TH) THIS .	SPECI	FICATION TO	BE PERMANE	NTLY			
	IDENTIFIED PER TH	E FOLL	OWING	IDENTIFIER	, ,				
							,		
					YEARJ r	• WEEP	(
	TYCO ELECTRO	NICS P	/ NI	DATE CODE)			
			/ IN	DATE CODE	(e.g. 0000)			
	$\overline{\times \times \times \times}$	(X X - X		$\overline{\times \times \times \times}$					
									В

	IENT FOR TYCO ELECTRONICS CORPORATION ONTROLLING ENGINEERING ORGANIZATION OR THE LATEST REVISION.	DWN 26MAR2008 <u>R.GRZYBOWSKI</u> снк 26MAR2008 D.ORRIS		E Tyco Electi	ronics	Tyco Elect Harrisburg		7 05-360	8
I NCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±.02 3 PLC ±.010	APVD 26MAR2008 S.FLICKINGER PRODUCT SPEC	NAME		SSEMBL	NNECTOR _Y W/ SC DAT MOUN	REW		
MATERIAL -	4 PLC ±- ANGLES ±3 FINISH –	- weight - CUSTOMER DRAWING	size A 2	cage code 0 0 7 7 9	drawing no		SHEET	2 OF	RESTRICTED TO

А