


829558-4 Product Details

Have a Question?

Chat with a Product Information Specialist



829558-4

TE Internal Number: 829558-4

 [Active](#)




MCX (OSX) RF Connectors

 [Always EU RoHS/ELV Compliant](#) ([Statement of Compliance](#))

Product Highlights:

- Connector - RF
- Jack
- Body Style = Straight
- Applies To Printed Circuit Board
- Without Panel Attachment

[View all Features](#)

[Add to My Part List](#)  [Request Sample](#)  [Find Similar Products](#)  [Buy Product](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

Documentation & Additional Information

Documents are temporarily unavailable. We are working hard to correct the problem. Please try again later.

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Connector - RF
- Gender = Jack
- [Body Style](#) = Straight
- [PCB Mount Retention](#) = With
- Number of Mounting Legs = 4
- Dielectric Material = PTFE Thermoplastic
- Proprietary Name = COAXICON

Mechanical Attachment:

- [Panel Attachment](#) = Without

Electrical Characteristics:

- Connector Impedance (Ω) = 50

Body Related Features:

- Body Plating = Gold (30) over Nickel
- Connector Length (mm [in]) = 8.50 [0.335]
- PCB Mount Retention Type = Solder Tail (Pin)

Contact Related Features:

- Center Contact Plating = Gold (50) over Nickel
- Center Contact Material = Beryllium Copper

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C, Reflow solder capable to 245°C, Reflow solder capable to 260°C, Pin-in-Paste capable to 245°C, Pin-in-Paste capable to 260°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- [Applies To](#) = Printed Circuit Board

Packaging Related Features:

- Packaging Quantity = 1

Other:

- Brand = AMP

 [BOOKMARK](#) 

Corporate Information

[Who We Are](#)
[Investors](#)
[News Room](#)
[Supplier Portal](#)
[Careers](#)

Quick Links

[Check Distributor Inventory](#)
[Cross Reference](#)
[Find Documents & Drawings](#)
[Product Compliance Support Center](#)
[Site Map](#)

Customer Support

[Email or Chat with Us](#)
[Find a Phone Number](#)
[Search Knowledge Base](#)
[Manage Your Account](#)

Sign up for our eNewsletter

Enter your email address

Follow us on: 