

8PCV-02-006 Product Details



8PCV-02-006
(5-1437657-7)

TE Internal Number: 5-1437657-7

 [Active](#)

 [View 3D PDF](#)

Barrier Strips

 [Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- Barrier Strip
- Barrier Style = Single Row, Tri-Barrier
- Block Style = Open Bottom with Standoffs
- 11.10 mm Centerline
- Vertical Mount Angle

[View all Features](#)

Documentation & Additional Information	
<p>Product Drawings:</p> <ul style="list-style-type: none"> • 8PCV-XX-006 ASSEMBLY (PDF, English) <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> • None Available <p>Product Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Application Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Instruction Sheets:</p> <ul style="list-style-type: none"> • None Available <p>CAD Files: (CAD Format & Compression Information)</p> <ul style="list-style-type: none"> • 2D Drawing (DXF, Version R) • 3D Model (IGES, Version R) • 3D Model (STEP, Version R) 	<p>Additional Information:</p> <ul style="list-style-type: none"> • Product Line Information <p>Related Products:</p> <ul style="list-style-type: none"> • Tooling
<p>List all Documents</p>	

Product Features (Please use the Product Drawing for all design activity)	
<p>Product Type Features:</p> <ul style="list-style-type: none"> • Product Type = Barrier Strip • Mount Angle = Vertical • Screw Material = Steel • Mounting Ears = Without <p>Mechanical Attachment:</p> <ul style="list-style-type: none"> • Screw Plating = Zinc Chromate • Mounting Style = Direct (All Positions Filled) <p>Electrical Characteristics:</p> <ul style="list-style-type: none"> • Top Hardware = Wire Clamp Combo Head • Number of Levels = Single • Current Rating (A) = 30 • Screw Head Type = Phil-Slot • Voltage (VAC) = 600 • Mounting Insert = Without <p>Termination Related Features:</p> <ul style="list-style-type: none"> • Terminal Plating = Bright Tin 	<p>Body Related Features:</p> <ul style="list-style-type: none"> • Barrier Style = Single Row, Tri-Barrier • Block Style = Open Bottom with Standoffs • Centerline (in [mm]) = 0.4375 [11.10] • Number of Positions = 2 • Terminal Style = Printed Circuit Pin 5.08 [.200] • Terminal Material = Copper Alloy <p>Contact Related Features:</p> <ul style="list-style-type: none"> • Mounting Options = None <p>Industry Standards:</p> <ul style="list-style-type: none"> • RoHS/ELV Compliance = RoHS compliant, ELV compliant • Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C • RoHS/ELV Compliance History = Always was RoHS compliant <p>Other:</p> <ul style="list-style-type: none"> • Brand = Buchanan • Comment = Do not order Screw and Captive Clamp in combination with other top hardware.; Other options available upon request, consult our Product Information Center.