




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION , 19 .
 © COPYRIGHT 19 BY AMP INCORPORATED, HARRISBURG, PA. ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN PATENTS AND/OR PATENTS PENDING.

LOC	DIST	P	F	ZONE	LTR	DESCRIPTION	DATE	APPROVED
AD	39					o RELEASED	-	-
						A REV PER AR-2553	6-26-89	SAS
						B REV LOC & DIST AD-4171	3-90	BF
						C REV PER 0010-0832-93	7-93	JG
						D REV PER 0010-1071-93	3-9-94	JG
						E REV PER 0010-0494-94	5-13-94	JG
						F REV PER 0010-1424-94	10-14-94	JG
						G REV PER 0G3C-0290-00	20JUL00	KW



EXAMPLE: STRIP ASSEMBLY
SCALE 2:1

- ① CONTACTS ARE LATCHED INTO THE PRELOAD WINDOWS
- ② USE WITH #22-#26 AWG WIRE SIZE, .054/.030 INSULATION DIAMETER, .015 MAXIMUM INSULATION THICKNESS
- ③ THE DIMENSION APPLIES WITH THE FORWARD PRELOAD STOP IN CONTACT WITH THE HOUSING SURFACE
- ④ POINT OF MEASUREMENT FOR PLATING THICKNESS
- ⑤ FOR INDIVIDUAL ASSEMBLIES SEE PART NUMBER 103686
- ⑥ ASSEMBLIES ARE JOINED BY THE CARRIER STRIP. ORDER QUANTITY REFLECTS TOTAL NUMBER OF INDIVIDUAL ASSEMBLIES REQUIRED. SEE TABLE FOR NUMBER OF ASSEMBLIES PER STRIP.
- ⑦ POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)
- ⑧ MAXIMUM ALLOWABLE BOW OF ASSEMBLY NOT TO EXCEED .055.

2	2.40	1.198	1-103688-1	12	1-103975-1
2	2.20	1.098	1-103688-0	11	1-103975-0
2	2.00	.998	103688-9	10	103975-9
2	1.80	.898	103688-8	9	103975-8
2	1.60	.798	103688-7	8	103975-7
2	1.40	.698	103688-6	7	103975-6
4	2.39	.598	103688-5	6	103975-5
4	1.99	.498	103688-4	5	103975-4
5	1.99	.398	103688-3	4	103975-3
8	2.40	.298	103688-2	3	103975-2
10	2.00	.198	103688-1	2	103975-1
⑥	B	A	HOUSING PART NUMBER	NO OF POSN	ASSEMBLY PART NUMBER ON STRIP

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON : 2 PL DEC ± .02 3 PL DEC ± .005 ANGLES ± - MATERIAL: HOUSING: FLAME RETARDANT THERMOPLASTIC, COLOR: BLACK CONTACTS: PHOS BRONZE FINISH: CONTACTS: .000015 GOLD IN THE CONTACT AREA, .000050-.000100 TIN-LEAD ON THE TERMINATION AREA, ALL OVER .000050 NICKEL	DR 29 SEP 1986 L. MAYER	AMP AMP INCORPORATED Harrisburg, Pa. 17105	
	CHK 11-12-86 P.C.DEJONG		NAME ASSY, AMPMODU MTE, RECEPTACLE, SINGLE ROW, .100¢, FOR #22-#26 AWG WIRE SIZE, STRIP FORM
	APPD 11-12-86 P.C.DEJONG		PRODUCT SPEC 108-25034
	APPD 11-13-86 J.SCHEIFFER		APPLICATION SPEC 114-25026
WEIGHT	SIZE C 00779	DRAWING NO 103975	
	SCALE 4:1	SHEET 1 OF 1	