


Product Details for 1 -1337585 -0



1 -1337585 -0

[Active](#)

MCX (OSX) RF Connectors

[RoHS Compliant](#) (Statement of Compliance)

Product Highlights:

- ? Plug
- ? Body Style = Right Angle
- ? Terminate To Coaxial Cable
- ? Coaxial Cable Termination Type = Solder/Crimp
- ? Coaxial Cable Type (RG/U or Mfg.) = 174A/U, 188A/U, 316/U, Raychem 5026A1318, Raychem 5026A1331, Raychem 5026A1631, Raychem 5026C1309, Raychem 5026D1028, Raychem 5026D1424, Raychem CLFH - 316, Raychem EPD 26995Q, URM 95

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

Documentation & Additional Information

Product Drawings:

- ? [MCX ELBOW PLUG CRIMP 50 Ohm](#) (PDF, English)

Catalog Pages/Data Sheets:

- ? None Available

Product Specifications:

- ? [MCX SERIES COAXIAL CONNECTORS - TYCO GREENPAR](#) (PDF, English)

Application Specifications:

- ? None Available

Instruction Sheets:

- ? None Available

CAD Files:

- ? None Available

Additional Information:

- ? [Product Line Information](#)

Related Products:

- ? [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- ? [Product Type](#) = Plug
- ? [Body Style](#) = Right Angle
- ? [PCB Retention Feature](#) = No
- ? Dielectric Material = PTFE
- ? Crimp Type = Hex
- ? Grade = Professional
- ? Body Material = Brass
- ? Sealed = No
- ? Isolated = No

Mechanical Attachment:

- ? [Panel Attachment](#) = Without

Electrical Characteristics:

- ? Connector Impedance (?) = 50

Termination Related Features:

- ? [Coaxial Cable Termination Type](#) = Solder/Crimp

Body Related Features:

- ? Body Plating = Gold
- ? Ferrule Material = Brass
- ? Ferrule Plating = Gold
- ? Hexcrimp Dimension = 0.65 Sq + 2.8 + 3.4
- ? Ferrule Type = Hex
- ? Hand Tool No. = 9 -1478240 -0
- ? Interchangeable Die Set Number = 9 -1478248 -0
- ? Polarized = No

Contact Related Features:

- ? Center Contact Plating = Gold
- ? Center Contact Material = Brass

Configuration Related Features:

- ? [Coaxial Cable Type \(RG/U or Mfg.\)](#) = 174A/U, 188A/U, 316/U, Raychem 5026A1318, Raychem 5026A1331, Raychem 5026A1631, Raychem 5026C1309, Raychem 5026D1028, Raychem 5026D1424, Raychem CLFH -316, Raychem EPD 26995Q, URM 95

Industry Standards:

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Not relevant for lead free process
- ? RoHS/ELV Compliance History = Converted to comply with RoHS directive

Conditions for Usage:

- ? [Terminate To](#) = Coaxial Cable
- ? Operating Temperature (Max.) (°C) = 165

Packaging Related Features:

- ? Packaging Quantity = 50
- ? Packaging Method = Individual

Other:

- ? Brand = Greenpar