



212608-1 Product Details



212608-1

TE Internal Number: 212608-1

Active

[View 3D PDF](#)

5mm (.197") Centerline, 600 V, 14 A max. (Metrimate)

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Housing
- Housing
- Drawer Connector Configuration
- Drawer Style = Standard
- 4 Positions

| Documentation & Additional Information | |
|---|--|
| <p>Product Drawings:</p> <ul style="list-style-type: none"> • PLUG HOUSING, DRAWER CONNECTOR, 4 POSITION, METRIMATE (PDF, English) <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> • METRIMATE_PIN_SOCKET_CATALOG (PDF, English) <p>Product Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Application Specifications:</p> <ul style="list-style-type: none"> • APPLICATION SPECIFICATION, METRIMATE DRAWER CONNECTORS (PDF, English) <p>Instruction Sheets:</p> <ul style="list-style-type: none"> • None Available <p>CAD Files: (CAD Format & Compression Information)</p> <ul style="list-style-type: none"> • 2D Drawing (DXF, Version B) • 3D Model (IGES, Version B) • 3D Model (STEP, Version B) | <p>Additional Information:</p> <ul style="list-style-type: none"> • Product Line Information <p>Related Products:</p> <ul style="list-style-type: none"> • Tooling |

| Product Features (Please use the Product Drawing for all design activity) | |
|--|--|
| <p>Product Type Features:</p> <ul style="list-style-type: none"> • Product Type = Housing • Connector Type = Housing • Gender = Plug • Keyed = No • Mating Connector Lock = Without • 8/32 Insert = No • PCB Mount Retention = Without <p>Mechanical Attachment:</p> <ul style="list-style-type: none"> • Mount = Panel • Mounting Ears = Without <p>Electrical Characteristics:</p> <ul style="list-style-type: none"> • Voltage (VAC) = 600 <p>Body Features:</p> <ul style="list-style-type: none"> • Drawer Style = Standard • Number of Positions = 4 • Coaxial Socket = Without | <p>Housing Features:</p> <ul style="list-style-type: none"> • Centerline (mm [in]) = 5.08 [0.199] • Housing Material = Thermoplastic - GF • Housing Color = Black • UL Flammability Rating = UL 94V-0 <p>Configuration Features:</p> <ul style="list-style-type: none"> • Connector Configuration = Drawer <p>Industry Standards:</p> <ul style="list-style-type: none"> • RoHS/ELV Compliance = RoHS compliant, ELV compliant • Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C • RoHS/ELV Compliance History = Always was RoHS compliant <p>Other:</p> <ul style="list-style-type: none"> • Brand = AMP |