


## 2-6600333-6 Product Details

Share | 
 Print | 
 Email



**2-6600333-6**

TE Internal Number: 2-6600333-6

Active

View 3D PDF

### MULTI-BEAM XL and MULTI-BEAM XLE Connectors

Always EU RoHS/ELV Compliant (Statement of Compliance)

**Product Highlights:**

- Product Series = XL
- Board-to-Board
- Header
- Connector Style = Plug
- Contact Type = Pin

[View all Features](#)

**Quick Links**

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#) | 
 Request Sample | 
 Find Similar Products | 
 Buy Product

### Documentation & Additional Information

**Product Drawings:**

- [VERTICAL HEADER ASSEMBLY, W/GUIDES, PRESS FIT, TYPE ... \(PDF, English\)](#)

**Catalog Pages/Data Sheets:**

- [2\\_PIECE\\_POWER\\_CONNECTORS\\_qrg\\_4-1773458-1 \(PDF, English\)](#)

**Product Specifications:**

- None Available

**Application Specifications:**

- None Available

**Instruction Sheets:**

- None Available

**CAD Files:** (CAD Format & Compression Information)

- 2D Drawing (DXF, Version K6)
- 3D Model (IGES, Version K6)
- 3D Model (STEP, Version K6)

[List all Documents](#)

**Related Products:**

- [Tooling](#)

Feedback

### Product Features (Please use the Product Drawing for all design activity)

**Product Type Features:**

- Product Series = XL
- Connector Type = Header
- Mount Angle = Vertical
- Mating Type = Blindmate
- PCB Mount Retention = With
- PCB Mount Retention Type = Retention Clip/Post
- Guides = With

**Electrical Characteristics:**

- Voltage Rating (Signal) (VAC) = 60
- Voltage Rating (Power) (VDC) = 200

**Termination Features:**

- Termination Style = Press Fit
- Termination Post Length (mm [in]) = 4.19 [0.165]

**Body Features:**

- Sequencing = Yes

**Contact Features:**

- Contact Type = Pin
- Contact Material (Power) = High Conductivity Copper
- Contact Material (Signal) = Copper Alloy
- Contact Plating, Mating Area, Material = Gold (30)

**Housing Features:**

- Connector Style = Plug
- Housing Material = High Temperature Thermoplastic
- Centerline, DC Module (mm [in]) = 6.35 [0.250]
- Centerline, Matrix (mm [in]) = 2.54 x 2.54 [.100 x .100]

**Configuration Features:**

- Total Number of DC Power = 6
- Total Number of AC Power = 0
- Total Number of Coax = 0
- Total Number of Signal = 24
- Connector Configuration Orientation = Left-to-Right
- Connector Contact Configuration (No. of Pos./Type) = 3/DC Power, 24/Signal, 3/DC Power

**Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

**Operation/Application:**

- Application Use = Board-to-Board

**Other:**

- Brand = AMP
- Comment = For additional configurations available, contact Tyco Electronics.

**Corporate Information**

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)
- [Global Accessibility Statement](#)

**Quick Links**

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

**Customer Support**

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

**Keep Me Informed**

