

- <u>Stud Size</u> = 3/8 [9.53]
- <u>Stud Diameter (mm [in])</u> = 9.53 [0.375]
- Material = Copper (Annealed) per ASTM B-75
- Body Style = Straight
- Finish = Tin

Termination Features:

<u>Wire/Cable Size (CMA)</u> = 190,000 - 231,000

Body Features:

- <u>Wire Size (AWG/CM)</u> = 4/0 AWG [100-125²]
- <u>Stud Hole Diameter (mm [in])</u> = 9.91 [0.390]
- <u>Number of Holes</u> = 2
- <u>Barrel I.D. Min. (mm [in])</u> = 16.46 [0.648]
- <u>Barrel Length</u> = Standard
- Inspection Slot = With
- Tongue Material Thickness (mm [in]) = 3.30 [0.130]

• RoHS/ELV Compliance History = Always was RoHS compliant

Operation/Application:

Application = Power Generation and Distribution

Packaging Features:

Packaging Quantity = 50

Other:

- Brand = AMP
- Comment = Electrodeposited Tin Plate per MIL-T-10727.

Quick Links Keep Me Informed Corporate Information Customer Support Receive TE News, Events & Email or Chat With Us Who We Are Check Distributor Inventory Technology Updates Investors Cross Reference Find a Phone Number Enter your email address News Room Find Documents & Drawings Search Knowledge Base Supplier Portal Product Compliance Support Center Manage your Account Careers Site Map

