



352152-4 Product Details

[Share](#) | [Print](#) | [Email](#)


352152-4

TE Internal Number: 352152-4
✔ Active

[View 3D PDF](#)

2mm Hard Metric PCB Mount Connectors (Z-PACK 2mm HM)

✔ Always EU RoHS/ELV Compliant (Statement of Compliance)

- Product Highlights:**
- Connector
 - Connector Assembly
 - Connector Style = Receptacle
 - Type = Type B, 22 Column
 - Interface Type = 2mm HM
- [View all Features](#)

- Quick Links**
- ▶ [Check Pricing & Availability](#)
 - ▶ [Search for Tooling](#)
 - ▶ [View Mating Products \(2\)](#)
 - ▶ [Product Feature Selector](#)
 - ▶ [Contact Us About This Product](#)

[Add to My Part List](#) | [Request Sample](#) | [Find Similar Products](#) | [Buy Product](#)

Documentation & Additional Information

<p>Product Drawings:</p> <ul style="list-style-type: none"> • Z-PACK 2MM HM TYPE B - 22 COLUMNS PRE-SHIELDED RECEPTACLE (PDF, English) <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> • None Available <p>Product Specifications:</p> <ul style="list-style-type: none"> • Z-Pack 2 mm HM CONNECTORS (PDF, English) <p>Application Specifications:</p> <ul style="list-style-type: none"> • Z-PACK 2mm HM Interconnection System for Board-to-Board (PDF, English) <p>Instruction Sheets:</p> <ul style="list-style-type: none"> • None Available <p>CAD Files: (CAD Format & Compression Information)</p> <ul style="list-style-type: none"> • 2D Drawing (DXF, Version E) • 3D Model (IGES, Version E) • 3D Model (STEP, Version E) 	<p>Additional Information:</p> <ul style="list-style-type: none"> • Product Line Information <p>Related Products:</p> <ul style="list-style-type: none"> • Tooling • Mating Products (2)
---	---

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

<p>Product Type Features:</p> <ul style="list-style-type: none"> • Product Type = Connector • Connector Type = Connector Assembly • PCB Mounting Orientation = Right Angle <p>Mechanical Attachment:</p> <ul style="list-style-type: none"> • Board Mount = Free Board • Shield Type = Ground Return Shielding • Shield Style = Upper <p>Electrical Characteristics:</p> <ul style="list-style-type: none"> • Shielded = Yes <p>Termination Features:</p> <ul style="list-style-type: none"> • Interface Type = 2mm HM • Termination End Plating = Tin-Lead over Nickel <p>Dimensions:</p> <ul style="list-style-type: none"> • Module Length (mm [in]) = 44.00 [1.732] <p>Body Features:</p> <ul style="list-style-type: none"> • Type = Type B, 22 Column • Number of Rows = 5 • Number of Positions = 110 • Rows Loaded = E, D, C, B, A 	<p>Contact Features:</p> <ul style="list-style-type: none"> • Contact Configuration = Signal • Feedthrough Post Length (mm [in]) = 3.30 [0.130] • CompactPCI = Yes • Contact Plating, Mating Area, Material = Gold (50) • Grounding Contact = Without • Contact Base Material = Phosphor Bronze <p>Housing Features:</p> <ul style="list-style-type: none"> • Connector Style = Receptacle • Mating Alignment = Without • Housing Color = Gray • Housing Material = Polyester GF • UL Flammability Rating = UL 94V-0 <p>Configuration Features:</p> <ul style="list-style-type: none"> • Crosstalk Version = Standard <p>Industry Standards:</p> <ul style="list-style-type: none"> • RoHS/ELV Compliance = RoHS compliant, ELV compliant • Lead Free Solder Processes = Not relevant for lead free process • RoHS/ELV Compliance History = Always was RoHS compliant <p>Other:</p> <ul style="list-style-type: none"> • Brand = AMP • Comment = Female connector with pre-installed shield.
--	--

