a vital part of your world



Saturday, 15 October, 2005

## **CATALOG**

**.** Cross Reference

**Competitive Products** Military Spec P/Ns Tyco Brand P/Ns

- \* Part Number Search
- Document Search
- Product Type Search
- Product Family Search
- \* Alphabetical Search
- RoHS/ELV Compliance & Alternates
- \* CAD Model Search
- Brand Search
- \* Tool Search
- Multiple Part Comparison
- Lead Free Solutions
- Help/Glossary

## **Home**

e-bulletin newsletter SUBSCRIBE NOW! click here

## MTA-50, MTA-100, MTA-156, CST-100 and SL-156 ► MTA, CST-100 II, MT-6/MT-7, SL Connectors and Headers

AMP

640621-5

(Corporate P/N: 640621-5)



Active

Not ELV or RoHS Compliant

Search for Compliant (RoHS/ELV)

Alternates

CAD Geometry | Search for Parts

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information			
General Information	eCommerce	Related Part Information	
<ul> <li>General Info</li> <li>Sales Info</li> <li>Assembly Subcontractors</li> </ul>	<ul><li>Pricing</li><li>Product Availability</li></ul>	→ Tooling	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

## Product Photo

Searchable Features:		
Brand:	AMP	
RoHS/ELV Compliance:	Not ELV/RoHS compliant	
Lead Free Solder Processes:	Not relevant for lead free process	
Product Type:	MTA-100 Connectors	
Number of Positions:	5	
Mating Type:	Receptacle	
Connector Type:	Feed Thru	
Application:	Wire-to-Board	
Contact Centerline Spacing (mm [in]):	2.54 [0.100]	
Contact Mating Area Plating:	Tin-Lead	
Contact Material:	Copper Alloy	

Other Properties:		
Cable Exit Angle:	90°	
Housing Flammability Rating:	UL 94V-2	
Housing Material:	Nylon	
Packaging Method:	Loose Piece	
Voltage Rating (VAC):	250	

Terminate To:	Wire
Wire Termination Type:	IDC Standard
Wire Size (mm² [AWG]):	0.22 [24]
Housing Color:	White
Contact Termination Area Plating:	Tin-Lead
Mating Polarization:	No
Mating Connector Lock:	With
Four Points of Contact:	Without
Shrouded:	No
Mounting Ears:	Without
Narrow:	No
Panel Attachment:	No
Post Number(s) Omitted:	None

<u>Copyright</u> and <u>Privacy Statement</u> Visit <u>Tyco International Ltd.</u>

 $[\ \underline{Products}\ |\ \underline{Catalog}\ |\ \underline{Brands}\ |\ \underline{Industries}\ |\ \underline{Commerce}\ |\ \underline{Supplier}\ |\ \underline{Contact\ Us}\ |\ \underline{About}\ |\ \underline{Home}\ ]$ 

.