


925121-2 Product Details

[Share](#) [Print](#) [Email](#)



925121-2

TE Internal Number: 925121-2
Active

[View 3D PDF](#)

M Series Connectors

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Product Series = M Series
- Connector
- Cable-to-Cable
- Applies To Wire/Cable
- Housing

[View all Features](#)

Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [GEMISCHTES 33 POL STIFTGEHAUSE \(PDF, English\)](#)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files: (CAD Format & Compression Information)

- [2D Drawing \(DXF, Version F\)](#)
- [3D Model \(IGES, Version F\)](#)
- [3D Model \(STEP, Version F\)](#)

[List all Documents](#)

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Series = M Series
- Product Type = Connector
- Connector Type = Housing
- Special Application = High Voltage
- Strain Relief = Without
- Sealed = No

Mechanical Attachment:

- Panel Mount Retention = Without

Dimensions:

- Length (X-Axis) (mm [in]) = 26.90 [1.0591]
- Width (Z-Axis) (mm [in]) = 28.20 [1.110]
- Profile Height (Y-Axis) (mm [in]) = 65.89 [2.594]

Body Features:

- Mating Retention = Without

Contact Features:

- Contact Type = Pin, Socket
- Contact Series = Typ MIII, Typ XII
- Multiple Contact Types = With

Housing Features:

- Connector Style = Plug
- Housing Material = Urbanit MPN, Tropenf
- Housing Color = Black
- Mating Alignment = With
- Mating Alignment Type = Guide Hole
- UL Flammability Rating = UL 94V-0

Configuration Features:

- Number of Positions = 33
- Number of Sections = 1
- Number of Positions/Section = 24+9

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

Environmental:

- Operating Temperature (°C [°F]) = -55 - +150 [-67 - +302]

Conditions for Usage:

- Applies To = Wire/Cable
- For Use With = Receptacle Housing

Operation/Application:

- Application Use = Cable-to-Cable

Packaging Features:

- Packaging Method = Carton
- Packaging Quantity = 50

Other:

- Brand = AMP
- Comment = This connector enables loading of 9 Type XII-power contacts and 24 Type III+ contacts for signal and control circuits.

Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)

Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

Keep Me Informed

Receive TE News, Events & Technology Updates

Enter your email address

