


**Product Details for 9 -390111 -1**



**9 -390111 -1**

[Active](#)

**Memory Sockets**

[RoHS Compliant \(Statement of Compliance\)](#)

**Product Highlights:**

- ? Gold over Nickel Contact Mating Area Plating
- ? SO DIMM
- ? Number of Positions = 144
- ? .80 mm Centerline
- ? Number of Rows = Dual

[View all Features](#)

**Quick Links**

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

**Documentation & Additional Information**

**Product Drawings:**

- ? [S.O. DIMM, SKT Assy, 0.8mm, 3.3V 144 P 3.7mm Pro. fo...](#) (PDF, English)

**Catalog Pages/Data Sheets:**

- ? None Available

**Product Specifications:**

- ? None Available

**Application Specifications:**

- ? [SO \(Small Outline\) DIMM \(Dual -In Memory Module\) Sock...](#) (PDF, English)

**Instruction Sheets:**

- ? None Available

**CAD Files:**

- ? None Available

**Additional Information:**

- ? [Product Line Information](#)

**Related Products:**

- ? [Tooling](#)

[List all Documents](#)

**Product Features** (Please use the Product Drawing for all design activity)

**Product Type Features:**

- ? [Product Type](#) = SO DIMM
- ? [Number of Positions](#) = 144
- ? [Module Orientation](#) = Right Angle
- ? Profile = High

**Electrical Characteristics:**

- ? SGRAM Voltage (V) = 3.3

**Body Related Features:**

- ? [Centerline \(mm \[in\]\)](#) = 0.80 [0.031]
- ? [Number of Rows](#) = Dual
- ? [Ejector Location](#) = None
- ? [Number of Keys](#) = 1
- ? Latch Material = Stainless Steel
- ? Latch Plating = Tin
- ? SGRAM Type = 64 -Bit
- ? Module Key Type = SGRAM

**Contact Related Features:**

- ? Contact Mating Area Plating = Gold over Nickel
- ? [Contact Mount](#) = Surface Mount
- ? Contact Material = Phosphor Bronze
- ? Contact Termination Area Plating = Gold

**Housing Related Features:**

- ? Housing Material = High Temperature Plastic
- ? Housing Flammability Rating = UL 94V -0
- ? Housing Color = Natural

**Configuration Related Features:**

- ? [Insertion Style](#) = Cam -In
- ? Center Key (mm [in]) = 8.80 [.346] Offset Left

**Industry Standards:**

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Reflow solder capable to 245°C, Reflow solder capable to 260°C
- ? RoHS/ELV Compliance History = Converted to comply with RoHS directive

**Packaging Related Features:**

- ? Packaging Method = Tape & Reel
- ? Packaging Quantity = 200 Pieces/Reel

**Other:**

- ? Brand = AMP