


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
AF	50	P	LTR	DESCRIPTION	DATE	DWN	APVD
				D1 REVISED PER ECR-19-017995	28NOV2019	PC	MK



- 1 SUPPLIED IN LOOSE PIECE.
- 2 PART TO MEET AMP SOLDERABILITY SPEC 109-11-2. ( MILDLY ACTIVATED ROSIN ).
- 3 FITS 1.22/1.12 [.048/.044] DIA HOLE IN PC BOARD. WHEN PLATED THRU HOLES ARE TO BE USED, ADJUSTMENT TO HOLE DIA SHOULD BE MADE TO ALLOW FOR THE PLATING.
- 4 0.002032 [.000080] MIN THK TIN-LEAD OVER 0.00127 [.000050] MIN THK NICKEL PL.
- 5 0.002032 [.000080] MIN THK TIN OVER 0.00127 [.000050] MIN THK NICKEL PL.

OBSOLETE	<del>1-1217121-3</del>
OBSOLETE	<del>1-1217121-2</del>
5	1-1217121-1
4	1217121-1
FINISH	PART NO.

SUPERSEDED BY 1-1217121-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JR RUTH	23FEB01	TE Connectivity			
DIMENSIONS: mm[INCHES]		CHK	MS FEHER	23FEB01				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	N DEIBERT	23FEB01	NAME			
0 PLC ± - 1 PLC ± - 2 PLC ± 0.38[.015] 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC		TAB, FASTON, 2.79 [.110] SERIES FOR PC BOARD				
MATERIAL		APPLICATION SPEC		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO
BRASS		114-2115		A3		00779	C-1217121	-
FINISH		WEIGHT		CUSTOMER DRAWING		SCALE	SHEET	REV
SEE TABLE		-				8:1	1 OF 1	D1