

4

3



2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		4		REVISE PER ECR-12-005050	16MAR2012	KS	AC

△ MATERIAL: NICKEL/COPPER CONDUCTIVE FOAM WITH CONDUCTIVE ADHESIVE BACKING



3.2	2132186-2
1.5	2132186-1
A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	C. ROHLER	20NOV2009	 TE Connectivity PRELIMINARY SHIELDING GASKET, QSEP/XEP CAGES
DIMENSIONS:		CHK	M. SCHMITZ	20NOV2009	
mm		APVD	B. WERTZ	20NOV2009	
 TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.4 1 PLC ±0.4 2 PLC ±0.4 3 PLC ± 4 PLC ± ANGLES ±0.5° FINISH -		PRODUCT SPEC	-		
MATERIAL	△ -	APPLICATION SPEC	-	WEIGHT	-
CUSTOMER DRAWING		SIZE	A2	CAGE CODE	00779
		DRAWING NO	C-2132186		RESTRICTED TO
		SCALE	6:1	SHEET	1 OF 1
		REV	4		