


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
A		ECO-18-013790	30AUG2018	TZ DZ



NOTES:

1. 100% ELECTRONIC TEST.

△ LABEL INFORMATION:



△ BOTH 2170497-1 AND 2170497-2 CAN BE USED.

P1	P2	
1	3	WHT/ORG
2	6	ORG
3	1	WHT/GRN
4	2	GRN
5	4	BLU
6	5	WHT/BLU
7	7	WHT/BRN
8	8	BRN
SHIELD	SHIELD	

15000±100	1-2159684-2
12500±100	1-2159684-1
10000±100	1-2159684-0
7500±75	2159684-9
5000±75	2159684-8
4000±50	2159684-7
3000±50	2159684-6
2500±50	2159684-5
2000±50	2159684-4
1500±50	2159684-3
1000±50	2159684-2
500±25	2159684-1
L	PART NO

Q'TY	UNIT	DESCRIPTION	ITEM NO
1	PC	BOOT,HOODED	6
AR	MR	COPPER FOIL W:8MM BOTH ELECTRI	5
1	PC	SHIELDED RJ 45 CONNECTOR	4
1	PC	LABEL	3
AR	MR	CABLE,CAT5E 26AWG*4P+AD,BLACK	2
1/300	PC	SHIELDED RJ.FIVE CONNECTOR	1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Tyron Peng 4FEB2015	TE Connectivity Ltd.	
DIMENSIONS: mm		CHK Henry Hu 4FEB2015		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD Leo, Qi 4FEB2015	NAME	
0 PLC ± -		PRODUCT SPEC	CABLE ASSY,PLUG,RJ POINT FIVE	
1 PLC ± -		APPLICATION SPEC	-	
2 PLC ± -		SIZE	CAGE CODE	DRAWING NO
3 PLC ± -		WEIGHT 0.000000	A3 00779	C-2159684
4 PLC ± -		RESTRICTED TO		
ANGLES ± -		CUSTOMER DRAWING		
FINISH		SCALE NTS SHEET 1 OF 1 REV A		

PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TE CONNECTIVITY ENVIRONMENTAL STANDARD TEC-138-702