







THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHT REVERSED ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
A14	ECR-17-017719			12DEC2017	LZ	RR	
A15	ECR-18-009822			11JULY2018	LZ	FL	
A16	ECR-18-012841			13AUG2018	WW	FL	
A17	ECR-19-010996			12JUL2019	SM	WW	



- HOUSING HAS RAST 5 COMPLIANT KEYING LATCHING, AND POLARIZATION, TAB IS 6.30 x 0.8mm ACCORDING TO DIN 46224;
 - MATERIAL: HOUSING NYLON, UL94 V0, 750 °C GWT NO FLAME;
 - FINISH: CONTACTS, TIN PLATING OVERALL , NICKEL UNDER-PLATING;
 - PACKING: LOOSE PIECE OR TUBE. THE PART NUMBER IN THIS DRAWING ARE WITH LOOSE PIECE PACKING. PLEASE CONTACT TE SALES REPRESENTATIVES FOR TUBE PACKING REQUIREMENT.
- 5 PRELIMINARY, NOT FOR PRODUCTION.
- 6 MATERIAL: HOUSING PA66,UL94 V0 PRODUCT COMPLY WITH GLOW WIRE REQUIREMENTS FOR PARTS OF NON-METALLIC MATERIAL SUPPORTING A CURRENT-CARRYING CONNECTION DETAILED IN IEC 60335-1, SECTION 30 (GWT).
- 7 FINISH:CONTACT, SILVER PLATING OVERALL, NICKEL UNDER-PLATING.
- 8 SPECIAL VERSION: SHORT PEG DESIGN, DETAIL IN SHEET 3



42.30	40.30	8
37.30	35.30	7
32.30	30.30	6
27.30	25.30	5
22.30	20.30	4
17.30	15.30	3
12.30	10.30	2
N	M	NO.OF POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	B.P	APR162013
CHK	F.M	APR162013
APVD	-	APR162013

PRODUCT SPEC: 108-106080

APPLICATION SPEC: -

WEIGHT: -

CUSTOMER DRAWING

SCALE: 4:1

SHEET 1 OF 3

REV: A17

NAME: RAST 5 TAB HEADER ASSY DIN STYLE, TH, VERTICAL

SIZE: A2


CAGE CODE: 00779

DRAWING NO: C-2232511


RESTRICTED TO: -

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHT REVERSED ALL RIGHTS RESERVED.








LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
-	-	SEE SHEET 1	-	-	-		



3-2232511-3 \triangle_5 \triangle_7



2232511-5
 1-2232511-5 \triangle_6
 2328608-5 \triangle_8



2-2232511-3 \triangle_5
 1-2232511-3 \triangle_6
 2328608-3 \triangle_8

2232511-3

2232511-4

1-2232511-4

2-2232511-5 \triangle_5

2232511-6

2232511-8

3 POS.







4 POS.

4 POS.

5 POS.

6 POS.


8 POS.




VOID PIN

PCB LAYOUT SKETCH
 SOLDER SIDE


VOID PIN
 2232511-5
 1-2232511-5




2232511-7
 1-2232511-7 \triangle_6
 2328608-7 \triangle_8



2-2232511-7 \triangle_6




3-2232511-7



PCB LAYOUT SKETCH
 SOLDER SIDE

7 POS.




THE POSITION OF THE 4 PIN TAIL HOLE AND POST ARE FIXED

HOLE FOR POLARIZING PEG

RECOMMEND PCB LAYOUT - SOLDER SIDE
 PCB 1.5 \pm 0.2 THICK

NATURE	NO. OF POS.	PART NUMBER
	8	2232511-8
	7	3-2232511-7
	7	2-2232511-7
	7	1-2232511-7
	7	2232511-7
	6	2232511-6
	5	2-2232511-5
	5	1-2232511-5
	5	2232511-5
	4	1-2232511-4
	4	2232511-4
	3	3-2232511-3
	3	2-2232511-3
	3	1-2232511-3
	3	2232511-3



COLOR NO. OF POS. PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN APR162013
 B.P. CHK 24SEP2013

DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC \pm
 1 PLC ± 0.5
 2 PLC ± 0.13
 3 PLC ± 0.013
 4 PLC ± 0.0001
 ANGLES \pm
 FINISH

PRODUCT SPEC 108-106080
 APPLICATION SPEC

MATERIAL WEIGHT

CUSTOMER DRAWING

STE TE Connectivity

NAME RAST 5 TAB HEADER ASSY
 DIN STYLE, TH, VERTICAL



SIZE A2 CAGE CODE 00779 DRAWING NO. C-2232511 RESTRICTED TO

SCALE 4:1 SHEET 2 OF 3 REV A17

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHT REVERSED ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
-	-	SEE SHEET 1	-	-	-		

△ SPECIAL VERSION: SHORT PEG DESIGN



OTHER DIMENSIONS SEE SHEET 1
 KEYING SEE SHEET 2

NATURE	7	2328608-7
	5	2328608-5
	3	2328608-3
COLOR	NO. OF POS.	△ PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	APR162013	
DIMENSIONS:		B.P	APR162013	
mm		CHK	APR162013	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		F.M	APR162013	
0 PLC ±-		APVD	APR162013	
1 PLC ±0.5		PRODUCT SPEC	108-106080	
2 PLC ±0.25		APPLICATION SPEC	-	
3 PLC ±0.013		WEIGHT	-	
4 PLC ±0.0001		SCALE	4:1	
ANGLES ±-		SHEET	3 OF 3	
FINISH		REV	A17	
MATERIAL		CUSTOMER DRAWING	-	



NAME RAST 5 TAB HEADER ASSY
 DIN STYLE, TH, VERTICAL

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A200779 C-2232511