


LOC	DIST	REVISIONS					
—	—	P	LTR	DESCRIPTION	DATE	DWN	APVD
WAR NR. 3-88-9833-0		F		Plating change from MIN. 0.8µm gold plating to min. 0.7µm Pd Ni + 0.1µm gold flash at contact area (Area F).	30SEP2014	PS	JK
PASSEND ZU PROJ.-NR. E 90-52554							

POLZ. PRO REIHE	L±0.4	BESTELL-NR.	
—	—	—	—
2	5.08	—	2
3	7.62	—	3
4	10.16	—	4
5	12.70	—	5
6	15.24	—	6
7	17.78	—	7
8	20.32	—	8
9	22.86	—	9
10	25.40	1-	-0
11	27.94	1	1
12	30.48	1	2
13	33.02	1	3
14	35.56	1	4
15	38.10	1	5
16	40.64	1-	-6
17	43.18	1	7
18	45.72	1	8
19	48.26	1	9
20	50.80	2-	-0
21	53.34	2	1
22	55.88	2	2
23	58.42	2	3
24	60.96	2	4
25	63.50	2	5
26	66.04	2-	-6
27	68.58	2	7
28	71.12	2	8
29	73.66	2	9
30	76.20	3-	829587-0
31	78.74	3	1
32	81.28	3	2
33	83.82	3	3
34	86.36	3	4
35	88.90	3	5
36	91.44	3	6
37	93.98	3	7
38	96.52	3	8
39	99.06	3	9
40	101.60	4	0
41	104.14	4	1
42	106.68	4	2
43	109.22	4	3
44	111.76	4	4
45	114.30	4	5
46	116.84	4	6
47	119.38	4	7
48	121.92	4	8
49	124.46	4	9
50	127.00	5-	-0



- △1 OBSOLETE
- △3 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- △2 STIFTE IN DIESEM BEREICH TEILWEISE BLANK
- △1 STECKSEITE: IM BEREICH "F" 0.7µm PdNi+0.1µm GOLD FLASH ÜBER 1.27µm NICKEL  
LÖTSEITE: MIN. 2.5µm ZINN ÜBER 1.27µm NICKEL

KONTAKT	CuSn	△1
STIFTGEHÄUSE	PBT	GRÜN
BENENNUNG	WERKSTOFF	OBERFLÄCHE FARBE

ZEICHNUNG GÜLTIG AB KW 6/93

THIS DRAWING IS UNPUBLISHED. ALL RIGHTS RESERVED.

DIMENSIONS: mm	DWN A.HO 17.04.90	MATERIAL SEE TABLE	FINISH SEE TABLE
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2 mm	CHK M.SCHAARSCHMIDT	TE Connectivity	
0 PLC ± -	APVD -		
1 PLC ± -	PRODUCT SPEC	NAME	
2 PLC ± -	108-18012	SPEZIAL AMPMODU II STIFTLISTE	
3 PLC ± -	APPLICATION SPEC	ZWEIREIHIG	
4 PLC ± -	—	SIZE	CAGE CODE
ANGLES ± -	WEIGHT -	A4	00779
CUSTOMER DRAWING		DRAWING NO	RESTRICTED TO
		C-829587	—
		SCALE 4:1	SHEET 1 OF 1
			REV F