TE connectivity

My Cart | My Part Lists | Sign In/Register    English (Change)

Have a Question?
Chat with a Product Information Specialist

What can we help you find?

Products | Industries | Resources | About TE | Support Center | My Account

Home > Products > Filters > Product Feature Selector > Product Details

# 15SRBX8-S Product Details

Share    Print    Email

### 15SRBX8-S

TE Internal Number: 5-1609987-9

✔ Active

📄 View 3D PDF

## EMI/RFI Filters and Accessories

🌿 Always EU RoHS/ELV Compliant (Statement of Compliance)

**Product Highlights:**
- Filter - EMI/RFI
- Filter Type = Power Line
- SRB (1-15 Amp) Series
- General Purpose Application, Power Supplies Application
- Mount Style = Slide-In (Short Edge Retention)

View all Features

Add to My Part List    Request Sample    Find Similar Products    Buy Product

**Quick Links**
- ▸ Check Pricing & Availability
- ▸ Search for Tooling
- ▸ Product Feature Selector
- ▸ Contact Us About This Product

## Documentation & Additional Information

**Product Drawings:**
- CUSTOMER DRAWING (PDF, English)

**Catalog Pages/Data Sheets:**
- 1-1654250-1_CORCOM_EMI_RFI_QRG (PDF, English)
- 1654001_CORCOM_PRODUCT_GUIDE_SRB_SERIES (PDF, English)
- 4-1773450-8_CORCOM_SRB_SERIES (PDF, English)

**Product Specifications:**
- None Available

**Application Specifications:**
- None Available

**Instruction Sheets:**
- None Available

**CAD Files:** (CAD Format & Compression Information)
- 2D Drawing (DXF, Version 2)
- 3D Model (IGES, Version 2)
- 3D Model (STEP, Version 2)

**Additional Information:**
- Product Line Information

**Related Products:**
- Tooling

List all Documents

## Product Features (Please use the Product Drawing for all design activity)

**Product Type Features:**
- Product Type = Filter - EMI/RFI
- Filter Type = Power Line
- Series = SRB (1-15 Amp)
- Filtered = Yes
- Mount Angle = Vertical

**Electrical Characteristics:**
- Current Rating (A) = 15
- Capacitor Value (pF) = 220
- Voltage ≤ (VAC) = 250
- Leakage Current (Line-to-Ground) Max. @ 120 VAC 60 Hz (µA) = 19.2
- Leakage Current (Line-to-Ground) Max. @ 250 VAC 50 Hz (µA) = 33.2

**Termination Features:**
- Terminal Input - Output Combination = Wire Lead

**Body Features:**
- Mount Style = Slide-In (Short Edge Retention)

**Industry Standards:**
- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Not reviewed for lead free solder process
- RoHS/ELV Compliance History = Always was RoHS compliant
- Approved Standards = UL Recognized, VDE Approved, CSA Certified

**Operation/Application:**
- Application = General Purpose, Power Supplies

**Other:**
- Brand = Corcom
- Comment = Small footprint. VDE rated at 10 amps.

**Corporate Information**
Who We Are
Investors
News Room
Supplier Portal
Careers

**Quick Links**
Check Distributor Inventory
Cross Reference
Find Documents & Drawings
Product Compliance Support Center
Site Map

**Customer Support**
Email or Chat With Us
Find a Phone Number
Search Knowledge Base
Manage your Account

**Keep Me Informed**
Receive TE News, Events & Technology Updates

Enter your email address  ➤