


234A032-3-0 Product Details



234A032-3-0

TE Part Number: 814341-000

✓ Active

➤ [Add to Part List](#)

Molded Parts

🌿 [Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- D Subminiature Boot
- Family Name = 234A0
- 90°
- General Purpose Application
- 10 Material Systems Code

[View all Features](#) | [Find Similar Products](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)
- ▶ [Request Samples](#)

NEW!

Documentation & Additional Information

Product Drawings:

- [Boot, Rectangular Subminiature, 90 Degrees End Entry \(PDF, English\)](#)

Catalog Pages/Data Sheets:

- [Wire and Cable, Harnessing and Protection Products \(PDF, English\)](#)

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = D Subminiature Boot
- Size = 32
- Material = Semi rigid Modified Polyolefin
- Comment = Contact Raychem for additional adhesive and/or cut off boot length information

Electrical Characteristics:

- Angle = 90°

Body Related Features:

- Cable Diameter Range (mm [in]) = 7.40 - 14.00 [0.290 - 0.511]
- Connector Length (mm [in]) = 42.00 - 42.20 [1.654 - 1.661]
- Connector Width (mm [in]) = 10.70 [0.421]

Contact Related Features:

- [Family Name](#) = 234A0
- Approved Standards = DEF Std 59-97 Issue 3 Type DA, MIL-I-81765/1 Class I, UL224 E85831

Housing Related Features:

- [Material Systems Code](#) = 10
- Adhesive Pre-Coating = Without
- Adhesive Description = Adhesive Purchased Separately.

Configuration Related Features:

- Material Code = 3
- Adhesive Code = S1125

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- Operating Temperature (°C) = -55 - +135

Operation/Application:

- Application = General Purpose

Other:

- Brand = Raychem