


**Product Details for 322A158 - 4 - 0**



**322A158 - 4 - 0**

Tyco Part Number: 823761 - 000  
[Active](#)

**Molded Parts**

[RoHS Compliant \(Statement of Compliance\)](#)

**Product Highlights:**

- ? Transition
- ? Family Name = 322A1
- ? Transition Type = T
- ? 2 Branches/Legs
- ? General Purpose Application

[View all Features](#)

**Quick Links**

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

**Documentation & Additional Information**

**Product Drawings:**

- ? [Transition, 90 deg. Side Breakout](#) (PDF, English)

**Catalog Pages/Data Sheets:**

- ? None Available

**Product Specifications:**

- ? None Available

**Application Specifications:**

- ? None Available

**Instruction Sheets:**

- ? None Available

**CAD Files:**

- ? None Available

**Additional Information:**

- ? [Product Line Information](#)

**Related Products:**

- ? [Tooling](#)

[List all Documents](#)

**Product Features** (Please use the Product Drawing for all design activity)

**Product Type Features:**

- ? Product Type = Transition
- ? Size = 58
- ? Material = Flexible Modified Polyolefin
- ? Comment = Contact Raychem for additional adhesive/cut off boot length information

**Body Related Features:**

- ? Transition Type = T
- ? Number of Branches/Legs = 2
- ? 1st Branch/Leg Range (mm [in]) = 25.40 – 56.00 [1.000 – 2.205]
- ? 2nd Branch/Leg Range (mm [in]) = 12.40 – 27.00 [0.488 – 1.063]

**Contact Related Features:**

- ? [Family Name](#) = 322A1
- ? Approved Standards = DEF Std 59 -97 Issue 3 Type DA, MIL -I-81765/2 Class II, UL224 E85831

**Housing Related Features:**

- ? [Material Systems Code](#) = 10
- ? Adhesive Pre -Coating = Without
- ? Adhesive Description = Adhesive Purchased Separately.
- ? Max. Inside Diameter of Part (mm [in]) = 25.40 – 56.00 [1.000 – 2.205]

**Configuration Related Features:**

- ? Material Code = 4
- ? Adhesive Code = S1125

**Industry Standards:**

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Not relevant for lead free process
- ? RoHS/ELV Compliance History = Always was RoHS compliant

**Conditions for Usage:**

- ? Operating Temperature (°C) = -55 – +135

**Operation/Application:**

- ? Application = General Purpose

**Other:**

- ? Brand = Raychem