



REVISIONS		
LTR	DESCRIPTION	DATE
D	REVISED PER ECO-07-024552	10/19/2007

inches  
[millimeters]

3. Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.

4 Wall thickness will not be measured in transition area.




		J & K		P, R & S	HO	JO & KO	W
		Min	Max	Ref.	±15%	±20%	Ref.
		a	b	b	b	b	b
		.60	.30	2.48	1.62	.75	.04
		[15,2]	[7,5]	[63,0]	[41,1]	[19,0]	[1,0]

CUSTOMER DRAWING

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE INCHES. METRIC DIMENSIONS ARE IN BRACKETS.	DRAWN	DATE	 Raychem Molded Parts 305 Constitution Dr Menlo Park, CA 94025	
	UNGUYEN	10/19/2007		
DECIMAL TOLERANCES	RPN	TITLE		
.xxx ± 0.005 [0.13 mm]	THIRD ANGLE PROJECTION	SLIMLINE TRANSITION, Y		
.xx ± 0.01 [0.25 mm]		SIZE	CODE IDENT. NO.	DWG. NO.
.x ± 0.1 [0.50 mm]		B	06090	382C332
ANGLE TOLERANCE		DO NOT SCALE THIS DRAWING		
.x ± 1 DEG.		SHEET 1 OF 2		
©2007 Tyco Electronics Corporation. All rights reserved.				

COMPATABILITY CHART					
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING SPEC	COATING DESCRIPTION
-50	Flexible Viton	RT-1313	N/A		
-51	Flexible EPB	RT-1321	/164, /86	RT-1050/13, RT-1050/3	ADHESIVE
-71	Flexible Polyolefin	RT-1316	/42, /86	RT-1050/1, RT-1050/3	ADHESIVE
-125	Modified Fluoropolymer	RT-1334	N/A		
-770	NBCCS	RT-770 TYPE II	N/A		
-780	NBCCS	RT-780 TYPE II	N/A		

ORDERING INFORMATION



If this document is printed it becomes uncontrolled. Check for the latest revision

CUSTOMER DRAWING

SIZE B	DWG. NO. 06090	REV D	DWG. NO. 382C332
DO NOT SCALE THIS DRAWING			SHEET 2 OF 2